Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



E. D. ROBINSON SALES AGENCY

Choice Nursery Stock

38 South Elm Street WALLINGFORD, CONN.

Phone: Wallingford, Conn., 1428

FALL 1950

SPRING 1951

Trade Price List



Representing:

ADAMS NURSERY, INC.
BRISTOL NURSERIES, INC.
BARNES BROS. NURSERY CO., INC.
NORTH-EASTERN FORESTRY CO., INC.
A. N. PIERSON, INC.
SUNNY BORDER, INC.

"A friendly, efficient service"

TO THE TRADE

This List Cancels All Previous Lists

Packing. Net F. O. B. our shipping points. Packing charges are extra. We make no charge for packing car lot orders in bulk.

Notice!

We anticipate that there will be many shortages before the Planting Season is over. All prices in this list are subject to change without notice. All quotations are made for immediate acceptance and with the understanding that all orders placed by us with our shippers are placed subject to shipper having stock on hand at the time your order is received. We advise you to place all orders early.

PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE

Orders are accepted on condition that they shall be void should stock become injured by frost or other causes beyond our control. We cannot be responsible for loss caused by damage or delay in transit. If such damage occurs, it must be reported and entered immediately with your local agent of the transportation company.

⇒ See Notice Inside Back Cover ←

CLAIMS for error or shortage will be gladly corrected, but we must be notified within TEN DAYS after arrival of the stock. Such claims must be based upon an actual check of material at the time shipment arrives and not after it has been sold or lined out. Positively no claims will be allowed unless we (or the shipper) are notified within 10 days of arrival of the shipment.

Quantity Discount. Five to 30 plants furnished at the 10 rate, 30 and up at the 100 rate and 250 at the 1,000 rate.

Guarantee. Prices do not include any guarantee of growth whatever.

Terms. All accounts are due and payable 30 days from date of invoice. Cash, security, or satisfactory Trade References will be required from unknown parties. Interest at 6% will be charged upon all past due accounts. Cash discounts: 2% 10 days from date of invoice.

Where quantity ordered is of sufficient amount we can arrange for shipment by motor freight at prevailing rates. Our favorable locations make it advantageous for our customers to come with their trucks and take away their purchases.

Our Service

We always use the greatest care in placing orders for material where we believe the customer's interests will be best served as regards transportation, etc. Sometimes we receive orders for material of which we are either sold out or do not list. In such cases we fill the order, if possible, from the nearest source of dependable stock. This service, we believe, means much to our customers, especially during the busy planting seasons.

E. D. ROBINSON SALES AGENCY
38 South Elm Street
WALLINGFORD, CONNECTICUT

EVERGREEN TREES

| | 10 rate | |
|--|---|--|
| ABIES concolor | each | |
| | | LOR FIR |
| 2 to 2½ ft | | |
| 2½ to 3 ft | 4.00 | |
| fraseri | FRASER BALS | SAM FIR |
| 15 to 18 in | 1.10 | \$1.00 |
| 18 to 24 in | 1.75 | 1.50 |
| 2 to 3 ft | 2.25 | 2.00 |
| 3 to 4 ft | 3.25 | 3.00 |
| 4 to 5 ft | 4.25 | 4.00 |
| homolepis (brachyphylla) | ATTE | KKO FIR |
| 18 to 24 in | | |
| 2 to 3 ft | | 2.00 |
| 3 to 4 ft | | 3.00 |
| 0 00 1 10111111111111111111111111111111 | | 3.00 |
| CHAMAECYPARIS pisifera | аитеа | |
| The state of the s | GOLDEN SAWARA C | YPRESS |
| 18 to 24 in | | 1.50 |
| 2 to 3 ft | | 1.75 |
| | | |
| | READ BRANCHED C | |
| 18 to 24 in | | 1.50 |
| 2 to 3 ft | | 1.75 |
| 3 to 3½ ft | 2.75 | 2.50 |
| | | |
| pisifera globosa | GLOBE SAWARA C | YPRESS |
| 15 to 18 in | 1.35 | YPRESS 1.25 |
| 15 to 18 in | | |
| 15 to 18 in | | 1.25 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft | | 1.25 1.50 1.75 |
| 15 to 18 in | 1.35 1.60 1.85 PLUME C | 1.25 1.50 1.75 YPRESS |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in | 1.35 1.60 1.85 PLUME C 1.75 | 1.25 1.50 1.75 <i>YPRESS</i> 1.50 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft | 1.35 1.60 1.85 PLUME C 1.75 2.00 | 1.25 1.50 1.75 <i>YPRESS</i> 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in | 1.35 1.60 1.85 PLUME C 1.75 2.00 | 1.25 1.50 1.75 <i>YPRESS</i> 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 | 1.25 1.50 1.75 <i>YPRESS</i> 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 18 to 24 in | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 |
| 15 to 18 in. 18 to 24 in. 2 to 2½ ft. plumosa 18 to 24 in. 2 to 3 ft. 3 to 4 ft. CHAMAECYPARIS plumosa 15 to 18 in. 18 to 24 in. 2 to 3 ft. 2 to 3 ft. | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 18 to 24 in 2 to 3 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft. (Extra heavy) | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.00 2.50 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 |
| 15 to 18 in. 18 to 24 in. 2 to 2½ ft. plumosa 18 to 24 in. 2 to 3 ft. 3 to 4 ft. CHAMAECYPARIS plumosa 15 to 18 in. 18 to 24 in. 2 to 3 ft. 2 to 3 ft. | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.00 2.50 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 18 to 24 in 2 to 3 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft. (Extra heavy) 3 to 4 ft | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.50 3.25 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 18 to 24 in 2 to 3 ft 2 to 3 ft 2 to 3 ft 3 to 4 ft 18 to 24 in 2 to 3 ft 3 to 4 ft | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.50 3.25 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 18 to 24 in 2 to 3 ft 15 to 18 in 2 to 3 ft 3 to 4 ft 15 to 18 in | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.50 3.25 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 18 to 24 in 2 to 3 ft 2 to 3 ft 2 to 3 ft 3 to 4 ft 18 to 24 in 2 to 3 ft 3 to 4 ft | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.50 3.25 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 2 to 3 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft. (Extra heavy) 3 to 4 ft JUNIPERUS depressa plumosa 15 to 18 in 18 to 24 in 18 to 24 in | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.50 3.25 sa ANDORRA JU 2.00 3.00 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 3.00 UNIPER |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 2 to 3 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft 2 to 3 ft. (Extra heavy) 3 to 4 ft JUNIPERUS depressa plumosa 15 to 18 in 18 to 24 in 18 to 24 in | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.50 3.25 sa ANDORRA JU 2.00 3.00 HETZ BLUE JU | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 3.00 UNIPER |
| 15 to 18 in 18 to 24 in 2 to 2½ ft plumosa 18 to 24 in 2 to 3 ft 3 to 4 ft CHAMAECYPARIS plumosa 15 to 18 in 18 to 24 in 2 to 3 ft 2 to 3 ft 2 to 3 ft 15 to 18 in 18 to 24 in 2 to 3 ft 3 to 4 ft | 1.35 1.60 1.85 PLUME C 1.75 2.00 3.25 aurea GOLDEN PLUME C 1.50 1.75 2.00 2.50 3.25 sa ANDORRA JU 2.00 3.00 HETZ BLUE JU 2.50 | 1.25 1.50 1.75 YPRESS 1.50 1.75 3.00 YPRESS 1.25 1.50 1.75 3.00 UNIPER 2.25 |

| E. D. ROBINSON SAL | DO HODATO | |
|---------------------------|-------------|------------------|
| | eack | 100 rate each |
| JUNIPERUS excelsa stricta | GREEK J | |
| 15 to 18 in | | \$1.75 |
| 18 to 24 in | | 2.00 |
| 2 to 2½ ft | 2.75 | 2.50 |
| 2½ to 3 ft | | 3.00 |
| 3 to 3½ ft | | |
| 3½ to 4 ft | 4.25 | |
| 4 to 4½ ft | 5.00 | |
| c. pfitzeriana PFITZER | | UNIPER |
| 15 to 18 in | | 0.05 |
| 18 to 24 in | | 3.25 |
| 2 to 2½ ft | | • • • |
| 2½ to 3 ft | | |
| 3 to 4 ft | | |
| 4 to 5 ft | 7.00 | |
| c. hibernica | | UNIPER |
| 18 to 24 in | | |
| 2 to 3 ft | | |
| 3 to 4 ft | 1.75 | 1.50 |
| sabina | SAVIN J | UNIPER |
| 15 to 18 in | | |
| 18 to 24 in | | |
| 2 to 2½ ft | | 3.00 |
| 2½ to 3 ft | | 3.50 |
| squamata meyeri | MEYER J | UNIPER |
| 15 to 18 in | | |
| 2 to 2½ ft | | |
| 2½ to 3 ft | | |
| 3 to 4 ft | | |
| | | |
| PICEA canadensis alba | WHITE | |
| 18 to 24 in | | 1.75 |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| 4 to 5 ft | 5.00 | |
| excelsa | NORWAY | SPRUCE |
| 18 to 24 in | | 1.60 |
| 2 to 3 ft | | 2.50 |
| 3 to 4 ft | 3.75 | 3.50 |
| 4 to 5 ft | 5.00 | |
| excelsa nidiformis | NEST SHAPED | SPRUCE |
| 12 to 15 in | | 1.40 |
| 15 to 18 in | | 2.00 |
| | | |

| des title stories , | 10 rate each | 100 rate each |
|---|---|------------------|
| PICEA excelsa pygmaea | | |
| 9 to 12 in | | |
| 12 to 15 in | | 1181 |
| 22 00 20 200000000000000000000000000000 | | |
| glauca nana | PYGMY WHITE | SPRUCE |
| 12 to 15 in | 1.60 | |
| 15 to 18 in | 2.25 | |
| 18 to 24 in | | |
| | | |
| PINUS strobus | WHI | TE PINE |
| 18 to 24 in | | |
| 2 to 3 ft | | 2.50 |
| 3 to 4 ft | | 3.00 |
| 4 to 5 ft | | 4.00 |
| 5 to 6 ft | | 5.00 |
| 6 to 7 ft | | |
| 7 to 8 ft | | |
| 8 to 10 ft | | Mary Indian |
| 10 to 12 ft | | |
| 2 to 3 ft. (Extra Heavy) | • | 3.00 |
| 3 to 4 ft. (" " | 4.00 | 3.75 |
| 3 to 4 ft. (" ") 4 to 5 ft. (" ") | 5.00 | 4.50 |
| 1 00 0 10. (| | |
| PSEUDOTSUGA douglasi | DOUG | GLAS FIR |
| 18 to 24 in | | LIO III |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| 3 (0 4 1(| | |
| | | |
| TAXUS canadensis stricta | DWARF HEL | |
| 12 to 15 in | | 1.75 |
| 15 to 18 in | | 2.00 |
| 18 to 24 in | | 3.00 |
| 2 to 2½ ft | | 4.00 |
| 2½ to 3 ft | | 5.00 |
| 3 to 3½ ft | 6.50 | 6.00 |
| | | 1181 |
| T. C. | SPREAD | |
| 15 to 18 in | | 2.50 |
| 18 to 24 in | | 3.00 |
| 2 to 2½ ft | | 4.50 |
| 2½ to 3 ft | | 6.00 |
| 3 to 3½ ft | | 8.50 |
| 3½ to 4 ft | 10.00 | |
| | delicates on in-tack | |
| cuspidata browni | | WN YEW |
| 12 to 15 in | | 2.00 |
| 15 to 18 in | | 2.50 |
| 18 to 24 in | 3.25 | 3.00 |

| or life - controls | 10 rate each | 100 rate |
|-----------------------------|-----------------|----------|
| TAXUS cuspidata capitata | | |
| 15 to 18 in | | \$2.50 |
| 18 to 24 in | | 3.00 |
| 2 to 2½ ft | | 4.00 |
| 2½ to 3 ft | | 5.50 |
| 3 to 3½ ft | | 8.50 |
| 3½ to 4 ft | | 9.50 |
| 4 to 4½ ft | | 16.00 |
| 4½ to 5 ft | | 20.00 |
| 5 to 5½ ft | | 24.00 |
| 5½ to 6 ft | 30.00 | |
| cuspidata columnaris | COLUMNAI | R YEW |
| 15 to 18 in | 3.25 | 3.00 |
| 18 to 24 in | 3.75 | 3.50 |
| 2 to 2½ ft | 4.25 | 4.00 |
| 2½ to 3 ft | 6.00 | 5.50 |
| cuspidata densiformis | DENSI | E YEW |
| 15 to 18 in | 3.25 | 3.00 |
| 18 to 24 in | | 3.50 |
| fastigiata 1 | FASTIGIATI | E YEW |
| 15 to 18 in | 2.75 | 2.50 |
| 18 to 24 in | 3.25 | 3.00 |
| cuspidata nana | DWARI | F YEW |
| 10 to 12 in | | 1.75 |
| 12 to 15 in | | 2.25 |
| 15 to 18 in | 3.50 | 3.25 |
| 18 to 24 in | 5.00 | 4.50 |
| cuspidata nana erecta UPRIO | GHT DWAR | F YEW |
| 12 to 15 in | 2.75 | 2.50 |
| 15 to 18 in | 3.50 | 3.25 |
| 18 to 24 in | 5.00 | 4.50 |
| cuspidata seiboldi | SEIBOLI |) YEW |
| 15 to 18 in | | |
| 18 to 24 in | 3.50 | |

Halloran Yew (New)

A variety of much promise. We strongly advise that you try a few of these plants. A hardy Yew of fine foliage. As a young plant it is of a broadly upright habit of growth but as an older plant it develops into more of a spreading type with a high, full center. As this variety becomes better known, we anticipate a heavy demand for it.

| | | 100 rate |
|-------------|------|--------------------|
| 15 to 18 in | | <i>each</i> \$2.50 |
| 18 to 24 in | 3.75 | 3.50 |

| Berne Grand | | 00 rate each |
|-----------------------------|-------------------------|-----------------|
| TAXUS cuspidata vaniceki | VANICEK | YEW |
| 15 to 18 in | \$2.75 | |
| 18 to 24 in | 3.50 | |
| intermedia (spreading type) | INTERMEDIATE | YEW |
| 15 to 18 in | | \$2.50 |
| 18 to 24 in | | 3.00 |
| 2 to 2½ ft | | 4.50 |
| 2½ to 3 ft | | 6.00 |
| 2/2 10 3 11 | | 0.00 |
| media (upright type) | - Massagina | 0.50 |
| 15 to 18 in | | 2.50 |
| 18 to 24 in | | 3.00 |
| 2 to 2½ ft | | 4.00 |
| 2½ to 3 ft | | 5.00 |
| 3 to 3½ ft | | |
| 3½ to 4 ft | 8.00 | |
| media hatfieldi | HATFIELD | YEW |
| 12 to 15 in | 2.25 | 2.00 |
| 15 to 18 in | 2.50 | 2.25 |
| 18 to 24 in | 2.75 | 2.50 |
| 2 to 2½ ft | | 3.50 |
| 2½ to 3 ft | | 5.50 |
| | (Extra broad heavy spec | imens) |
| media hatfieldi 15 to 18 in | , | 2.50 |
| 18 to 24 in | | 3.50 |
| 2 to 2½ ft | 1 50 | 4.00 |
| | | |
| media hicksi | HICKS | |
| 12 to 15 in | | 2.00 |
| 15 to 18 in | | 2.25 |
| 18 to 24 in | | 2.50 |
| 2 to 2½ ft | | 3.50 |
| 2½ to 3 ft | | 4.50 |
| 3 to 3½ ft | 6.50 | |
| | ANDREAS ARRORS | TOAR |
| | AMERICAN ARBORV | |
| 2 to 3 ft | | 2.00 |
| 3 to 4 ft | | 3.25 |
| 4 to 5 ft | | 4.00 |
| 5 to 6 ft | | 6.00 |
| 6 to 7 ft | | |
| 7 to 8 ft | | |
| 8 to 9 ft | | |
| 9 to 10 ft | | |
| 10 to 12 ft | | |
| 12 to 14 ft | | |
| 14 to 16 ft | | |
| | BOOTH GLOBE ARBORV | |
| 15 to 18 in | | 1.50 |
| 18 to 24 in | 2.00 | 1.75 |

| E. B. ROBINSC | TO SALES AGENCY | |
|-----------------------------|------------------|---------|
| | 10 rate each | each |
| THUYA o. brubakeri | BRUBAKER ARBO | ORVITAE |
| 2 to 3 ft | \$2.25 | \$2.00 |
| 4 to 5 ft | 4.25 | 4.00 |
| | | |
| o. compacta | PARSONS ARBO | DRVITAE |
| o. compacta 12 to 15 in | 1.10 | 1.00 |
| 15 to 18 in | | 1.25 |
| 18 to 24 in | | 1.75 |
| | | |
| o. douglasi (spiralis) | SPIRAL ARBO | RVITAE |
| 2 to 3 ft | | 2.00 |
| 3 to 4 ft | 3.25 | |
| 4 to 5 ft | 4.25 | |
| 5 to 6 ft | 6.50 | |
| 6 to 7 ft | 7.50 | |
| 7 to 8 ft | 8.50 | |
| 8 to 9 ft | 10.00 | I SHEE. |
| 9 to 10 ft | 11.00 | |
| | | |
| o. elegantissima | GOLD TIPPED ARBO | DRVITAE |
| 2 to 3 ft | 2.25 | 2.00 |
| 3 to 4 ft | 3.50 | 3.25 |
| 4 to 5 ft | 4.50 | 4.00 |
| 5 to 6 ft | 6.00 | |
| | | |
| o. globosa AME | PICAN CLORE ARRO | RVITAF |
| 12 to 15 in | | 1.00 |
| 15 to 18 in | | 1.25 |
| 10 to 10 m | 1.00 | 1.20 |
| | | |
| 0, 110. | PK AMERICAN ARBO | |
| 18 to 24 in | | 1.50 |
| 2 to 2½ ft | | |
| 2½ to 3 ft | | |
| 3 to 4 ft | 3.50 | 3.25 |
| | | |
| o. pyramidalis 18 to 24 in | PYRAMID ARBO | RVITAE |
| 18 to 24 in | 1.75 | 1.50 |
| 2 to 3 ft | 2.75 | 2.50 |
| 3 to 4 ft | 3.50 | |
| 6 to 7 ft | 7.00 | 6.00 |
| 7 to 8 ft | 8.00 | |
| | | |
| o. recurva nana (umbraculif | era) | |
| | CONICAL ARBO | RVITAE |
| 15 to 18 in | 1.35 | 1.25 |
| 18 to 24 in | | 1.50 |
| 2 to 2½ ft | 2.25 | 2.00 |
| 2½ to 3 ft | | 2.25 |
| | | |

| 00 0. 22272 021, 112 | | |
|------------------------|---|----------|
| | 10 rate | 100 rate |
| | | each |
| THUYA o. rosenthali | | |
| | | |
| 18 to 24 in | | |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| 4 to 5 ft | 5.00 | |
| 5 to 6 ft | 6.00 | |
| | | |
| | | |
| o. verveaneana | VERVEANE ARBO | RVITAE |
| 18 to 24 in | 1.50 | |
| 2 to 3 ft | 2.00 | |
| 3 to 4 ft | | |
| 5 to 4 ft | | • • • |
| | | |
| o. wareana | SIBERIAN ARBO | RVITAE |
| 18 to 24 in | 1.60 | \$1.50 |
| 2 to 3 ft | | 2.00 |
| 3 to 3½ ft | * | |
| 3 10 3/2 11 | 0.20 | 0.00 |
| a sugregue blicate | | |
| o. wareana plicata | ED SIBERIAN ARBO | RVITAE |
| | | |
| 12 to 15 in | | 1.00 |
| 15 to 18 in | | 1.25 |
| 18 to 24 in | 1.75 | 1.50 |
| 2 to 2½ ft | 2.25 | 2.00 |
| 2½ to 3 ft | | |
| 2/2 00 0 10 | | • • • |
| o. woodwardi WOOL | OWADD CLORE ARRO | RVITAE |
| | | 1.00 |
| 12 to 15 in | | |
| 15 to 18 in | | 1.25 |
| 18 to 24 in | 1.75 | 1.50 |
| | | |
| | | |
| | | |
| TSUGA canadensis | CANADIAN H | |
| 15 to 18 in | | 1.75 |
| 18 to 24 in | 2.75 | 2.50 |
| 2 to 3 ft | 3.25 | 3.00 |
| 3 to 4 ft | 4.0= | 4.00 |
| 4 to 5 ft | | |
| | | • • • |
| 5 to 6 ft | | |
| 6 to 7 ft | 14.00 | |
| | | |
| canadoncio homfrati | PYRAMIDAL H | EMLOCK |
| canadensis pomfreti | | 2.75 |
| 18 to 24 in | | |
| 2 to 2½ ft | | |
| 2½ to 3 ft | | 4.00 |
| 3 to 3½ ft | 5.50 | 5.00 |
| 3½ to 4 ft | | 6.00 |
| , – | 0.00 | |
| 4 to $4\frac{1}{2}$ ft | F 1- \ 1. \ 1. \ 1. \ 1. \ 1. \ 1. \ 1. \ | |

| EVERGREEN | LINING | OUT | S | TOCK |
|---|------------------------------|-------|---------------------|------------|
| LVLKOKLLK | пин | 100 |) rate | 1,000 rate |
| ABIES lasciocarpa, S., | 3-4 in | | <i>sch</i> \$.06 | each |
| BUXUS suffruticosa, T | | | .35 | |
| T., 6-8 in | | | .50 | |
| Newport Blue, 3-yr | | | .35 | \$.30 |
| CHAMAECYPARIS o | , , | | 25 | |
| potgraftsobtusa gracilis, 2-yr | | | .35 .60 | |
| plumosa, 4-yr. TT. | | | .45 | .40 |
| CRYPTOMERIA japon | | | | |
| grafts | | | .75 | |
| EUONYMUS radicans | , 2-yr. T., 8-10 in | | .35 | .30 |
| radicans coloratus, '. | | | .20 | .15 |
| radicans coloratus, | | | .35 | .30 |
| radicans carrieri, 2- radicans variegated, | · | | .35 | .30 |
| radicans vegetus, ro | | | •20 | • • • |
| flats | | | .12 | .10 |
| radicans vegetus, 2- | | | .25 | .20 .30 |
| radicans vegetus, T | Γ., 10-10 in Γ., 10-12 in | | .25 | .24 |
| ILEX crenata, T., 8-10 | | | .25 | |
| crenata convexa, 1-y | | | .18 | |
| glabra, 2-yr. T., 6-8 | in | | .25 | |
| JUNIPERUS chinensi | s columnaris, 2 yı | . S., | | |
| 4-8 in | | | .06 | .05 |
| hibernica, 2-yr. TT. depressa plumosa, T | | | .45 .20 | .40 .18 |
| glauca hetzi, 2½ in. | | | .20 | .18 |
| | in | | .35 | .30 |
| | 0-12 in | | .45 | |
| pfitzerina, 2¼ in. p | | | .30 .55 | .28 .50 |
| pfitzeriana, 4-yr. T sueccica, TT., 12-15 | | | .45 | .40 |
| virginiana, 1-yr. S. | | | .03 | .02 1/2 |
| virginiana, 2-yr. S., | | | .06 | .05 |
| virginiana, 3-yr. S., | | | .08 | .06 |
| virginiana (in varie | | | .45 | .04 |
| PICEA canadensis alba | | | .12 | .10 |
| canadensis densata, excelsa, 2-yr. S., 2-5 | | | .03 | .02 1/2 |
| excelsa, 3-yr. S., 3-6 | | | .05 | .04 |
| excelsa, 2-yr. T | | | .06 | .05 |
| excelsa, 3-yr. T., 3- | | | .10 | .09 |
| moerheimi, potgraft pungens, 3-yr. S., 2 | | | 1.00 | .06 |
| | 2-5 in | | .10 | .09 |
| | 8-5 in | | .12 | .10 |

| | 100 rate each | 1,000 rate |
|---|------------------|------------------|
| PIERIS japonica, 2-yr. T | \$.25 | \$.24 |
| japonica, 3-yr. TT | .35 | .30 |
| LEUCOTHOE catesbaei, 2-yr. T., 4-6 in | .20 | .18 |
| PINUS banksiana, 2-yr. S., 4-8 in | .03 | .02 1/2 |
| " 2-yr. T., 5-10 in | .06 | .05 |
| densiflora, 2-yr. S., 4-7 in | .03 | .02 1/2 |
| densiflora, 4-yr. T | .10 | .09 |
| montana mughus, 2-yr. T | .08 | $.07\frac{1}{2}$ |
| montana mughus, 3-yr. T., 2-4 in | .10 | .09 |
| montana mughus, 4-yr. T., 3-7 in. | .12 | .10 |
| nigra austriaca, 2-yr. S | .06 | .05 |
| strobus, 4-yr. T., 5-9 in | .12 | .10 |
| strobus, 3-yr. T., 2-4 in | .08 | .07 |
| sylvestris, 2-yr. S., 5-9 in | .03 | .02 1/2 |
| sylvestris, 4-yr. T | .12 | .10 |
| thunbergi, 2-yr. S | .05 | $.04\frac{1}{2}$ |
| thunbergi, 4-yr. T., 9-18 in | .12 | .10 |
| " TT., 12-18 in | .35 | |
| PSEUDOTSUGA douglasi, 2-yr. S | .06 | .05 |
| douglasi, 3-yr. S., 2-4 in | .07 | .06 |
| douglasi, T., 6-8 in | .25 | |
| douglasi, TT., 8-10 in | .30 | |
| RHODODENDRONS, named hybrids, potgrafts | .75 | • • • |
| RHODODENDRONS, hybrid seedlings, | | |
| 3-yr. TT | .30 | .25 |
| TAXUS baccata repandens, 2-yr. T., | .35 | |
| 6-8 in | .40 | • • • |
| baccata fastigiata, TT., 12-15 in | .50 | • • • |
| baccata fastigiata, TT., 15-18 in | .75 | |
| ausbidata (from Ian sood) | .10 | • • • |
| 1-yr. S | .05 | .04 |
| 2-yr. S | .15 | .121/2 |
| cuspidata, 2-yr. T | .30 | .25 |
| cuspidata, 3-yr. T | .35 | .30 |
| cuspidata, 4-yr. TT | .45 | .40 |
| cuspidata, 5-yr. TT | .55 | .50 |
| cuspidata, 7-yr. TTT | .75 | .70 |
| cuspidata andersoni, 2-yr. T., 6-10 in | .30 | .25 |
| cuspidata browni, 2-yr. T., 8-12 in. | .30 | .25 |
| cuspidata browni, 4-yr. TT | .50 | .45 |
| cuspidata browni, 5-yr. TT | .55 | .50 |
| cuspidata browni, TT., 15-18 in | .85 | |
| All potgrafts will be ready for shipment in | | |

| | | 100 rate each | 1,000 rate each |
|------------------------------------|---------------------------------------|------------------|--------------------|
| TAXUS— | | | |
| cuspidata capitata (cu | 9 , , | \$.30 | \$.25 |
| cuspidata capitata (cu | | .35 | .30 |
| cuspidata capitata, 4- | | .55 | .50 |
| cuspidata capitata (cu | ittings), 5-yr. TT., | | |
| 12-15 in | 4) mm | .75 | .70 |
| cuspidata capitata (fr 12-15 in | om seed), TTT., | 1.60 | 1.50 |
| cuspidata capitata (fr 15-18 in | | 1.75 | |
| cuspidata capitata (fr 18-24 in | om seed), TTT., | 2.25 | |
| cuspidata columnaris, | TT., 9-12 in | .45 | |
| cuspidata columnaris, | | .75 | .70 |
| cuspidata compacta, 2 | | .30 | .25 |
| cuspidata nana (brev | | | |
| 6-8 incuspidata nana (brev | | .25 | .20 |
| 8-10 in | | .30 | .25 |
| | ry cutback), 3-yr. T | .35 | .30 |
| cuspidata nana, 4-yr. | | .45 | .40 |
| cuspidata nana, 4-yr. | | .50 | .45 |
| | , 2-yr. T | .30 | .25 |
| | r. T | .30 | .25 |
| | r. TT | .50 | .45 |
| cuspidata thayeri, 5-y | | .75 | |
| densiformis (new), 2- | | .30 | .25 |
| | g), 2-yr. T., 8-10 in | .30 | .25 |
| | g), 5-yr. TT., 8-10 in. | .55 | .50 |
| intermedia (spreading | g), (cutback), 7-yr. | .75 | .70 |
| intermedia hunnewell | iana, 2-yr. T | .30 | .25 |
| intermedia (upright f | · · · · · · · · · · · · · · · · · · · | | |
| 6-10 in | | .30 | .25 |
| intermedia (upright f | orm), TT., 12-15 in | .50 | |
| , - | orm), TT., 15-18 in | .75 | |
| media (spreading), 2- | | .25 | .22 1/2 |
| media halloran strain | | .25 | .22 ½ |
| media halloran strain | (new), 3-yr. T., | | , - |
| media halloran strain | (new), 4-yr. TT., | .35 | .30 |
| | /D 0.40 * | .45 | .40 |
| media hatfieldi, 2-yr. | | .25 | .20 |
| media hatfieldi, 4-yr. | | .35 | .30 |
| media hatfieldi, 4-yr. | | .40 | .35 |
| media hatfieldi, 6-yr. | | .60 | .50 |
| media hatfieldi, 6-yr. | TT., 15-18 in | .85 | .75 |
| media hicksi, 2-yr. T. | , 8-12 in | .25 | .20 |
| media hicksi, 4-yr. T | T., 10-12 in | .40 | .35 |
| media hicksi, TT., 12 | | .50 | .45 |
| | | | |

| | 100 rate each | 1,000 rate each |
|---|------------------|--------------------|
| TAXUS— | eacn | eacn |
| media hicksi, TT., 15-18 in | \$.80 | \$.75 |
| 8-10 in | .35 | .30 |
| media moon's columnaris, 4-yr. TT | .45 | .40 |
| media stovekeni (New) 2-yr. T | .30 | .25 |
| THUYA occidentalis, 2-yr. S | .04 | .031/2 |
| occ. boothi, 2-yr. T., 6-8 in | .30 | .25 |
| occ. boothi, 4-yr. TT | .45 | .40 |
| occ. compacta, 1-yr. T | .15 | .14 |
| occ. compacta, 2-yr. T., 6-8 in | .30 | .25 |
| occ. compacta, 4-yr. T., 8-12 in | .40 | .35 |
| occ. compacta, TT., 10-12 in | .40 | .35 |
| occ. columbia, TT., 8-12 in | .30 | .25 |
| occ. douglasi (spiralis), 2-yr. T., 8-10 in | .30 | .25 |
| occ. elegantissima, TT., 10-12 in | .45 | .40 |
| occ. elegantissima, TT., 12-18 in | .60 | |
| occ. hoveyi, 2-yr. T., 6-8 in | .25 | 6 1 4 |
| occ. nigra (Dark American Arborvitae), | 20 | |
| 2-yr. T., 6-8 in | .30 | .25 |
| 3-yr. TT., 10-12 in | .40 | .35 |
| occ. nigra (Dark American Arborvitae), 4-yr. TT., 10-12 in | .45 | .40 |
| occ. pyramidalis, 2½ in. pots | .25 | .221/2 |
| occ. pyramidalis, 2-yr. T., 10-12 in | .30 | .25 |
| occ. pyramidalis, 4-yr. TT., 10-12 in | .45 | .40 |
| occ. pyramidalis, T., potgrafts | .35 | .35 |
| occ. pyramidalis, transplanted grafts, | | |
| 15-18 in | .70 | .60 |
| occ. rosenthali, 4-yr. TT | .45 | .40 |
| occ. umbraculifera, TT., 6-10 in | .30 | .25 |
| occ. wareana, 2-yr. T., 6-8 in | .30 | |
| occ. wareana, TT., 8-12 in | .35 | |
| occ. woodwardi, 2-yr. T., 6-8 in | .30 | .25 |
| occ. woodwardi, 2-yr. TT., 8-10 in | .35 | .30 |
| orientalis, 2-yr. S | .03 | $.02\frac{1}{2}$ |
| orientalis, 3-yr. S., 8-10 in | .06 | .05 |
| orientalis (grafting size), 2-yr. T | .06 | .05 |
| orientalis aurea nana, potgrafts | .35 | .35 |
| orientalis aurea nana, 2-yr. transplanted grafts | .60 | .50 |
| orientalis compacta, 2-yr. S | | .05 |
| plicata, TT., 10-12 in | | |
| TSUGA canadensis (collected seedlings), | | |
| 6-12 in | .10 | .06 |
| canadensis, 2-yr. T., 9-12 in | .25 | .20 |
| canadensis, 3-yr. T., 10-12 in | .30 | .25 |
| canadensis sargenti, potgrafts | .60 | |
| | | |

All potgrafts will be ready for shipment in May, 1951

DECIDUOUS LINING OUT STOCK

| | 100 rate | 1,000 rate |
|--|----------------------------------|---|
| ACER dasycarpum, 1-yr. S., 8-12 in. ginnala, 2-yr. S., 8-12 in. palmatum, 1-yr. S. palmatum, 2-yr. T. palmatum atropurpureum, potgrafts. | \$.08 .08 .04 .12 | \$.06 .06 ½ .03 ½ .10 |
| AMPELOPSIS veitchi, 1-yr. S. No. 1 | | .03½ |
| ALTHEA, 1-yr. S | .03 1/2 | .03 |
| BERBERIS thunbergi, 1-yr. S thunbergi, 2-yr. T., 9-12 in thunbergi, 2-yr. T., 10-12 in | .07 1/2 | .01 ¹ / ₄ .06 .05 |
| CELASTRUS orbiculatus, 1-yr. Sscandens, 2-yr. S | | .04 ½ |
| CORNUS alba siberica, 2-yr. T. elegantissima, 2-yr. T., 6-10 in. florida (understocks), S., 12-18 in. cladrastis lutea, 1-yr. S. florida rubra, potgrafts. florida rubra, 2-yr. grafts. kousa, 2-yr. T. kousa, 3-yr. T. mascula, 1-yr. S., 3-6 in. | .15 .06 .10 .40 1.25 | .06 .12½ .05 .37½ .15 .30 .05 |
| CYDONIA japonica, 1-yr. S | .03½ .07 .10 | .03 |
| DAPHNE cneorum, rooted cuttings | .12 | .10 |
| DEUTZIA gracilis, rooted cuttings from flats | | .04 |
| ELEAGNUS angustifolia, 1-yr. S | .06 | .05 |
| EUONYMUS alatus, 2-yr. T., 12-15 in europeaus, 2-yr. S., 6-8 in vegetus, rooted cuttings from flats vegetus, 2-yr. T., 6-10 in | .25 .10 .10 .30 | .20 .09 .25 |
| FORSYTHIA spectabilis, 1-yr. C. suspensa, 1-yr. C. | .07½ .06 | .06 .05 |
| HYDRANGEA Hills of Snow, R.C. 1-yr. T., 12-18 in. P.G., 2-yr. T. petiolaris, 2 in. pots | .06 .15 .20 .20 | .05½ .12½ .15 |

| | 100 rate 1 | each |
|---|------------|------------|
| LABURNUM vulgare, 1-yr. S | \$.06 | \$.05 |
| LIGUSTRUM amurense, 1-yr., 12-18 inovalifolium, 1-yr., 12-24 in | .05 | .04 ½ |
| LONICERA tart. rubra (Wheeling Strain), C. 6-12 in. morrowi C zabeli C | .071/2 | .06 .06 |
| MAGNOLIA soulangeana, potgraftssoulangeana, 1-yr. T., 12-18 in | | • • • |
| MALUS, Flowering Crabs asst'd varieties, 1-yr. grafts | .35 | • • • |
| PHILADELPHUS coronarius aureus, 21/4-in. pots | | .15 |
| POPULUS nigra italica, 1-yr. T., 4-6 ft | .15 | |
| PRUNUS glandulosa T., 12-18 in serrulata kwanzan, 1-yr. grafts, 12-18 in tomentosum, 1-yr. S., 4-8 in | .35 | .12½ |
| RIBES alpinum C | .15 | .121/2 |
| RHODOTYPOS kerrioides, 1-yr. S | .07½ | .06 |

All potgrafts will be ready for shipment in May, 1951

Hormodin Powder

The three Hormodin Powders are designed to cover the full propagating range with a one-dip treatment. Complete directions for each powder are included with the package. Used by leading growers. We make immediate shipment.

Powder No. 1

Powder No. 2

Powder No. 3

Designed for the more resistant species including many evergreens and dormant leafless cuttings.

½ lb. tin each.....\$4.50

| | 100 rate 1, | |
|--|----------------------|------------------|
| SALIX babylonica C., 1-2 ft | \$.07 1/2 | \$.06 |
| niobe C., 1-2 ft | | |
| purpurea C | | |
| SOPHORA japonica, 1-yr. S | .08 | .07½ |
| SORBUS aucuparia, 1-yr. S | .06 | .05 |
| aucuparia, 2-yr. T., 2-3 ft | 35 | |
| aucuparia, 3-yr. T., 3-4 ft | | |
| SPIREA anthony waterer, 1-yr. ctgs | .08 | .071/2 |
| anthony waterer, 1-yr. T., 10-12 in | 15 | $.12\frac{1}{2}$ |
| van houtte, Ctgs | .06 | .05 |
| froebeli, Ctgs | .15 | .121/2 |
| SYRINGA persica, 1-yr. C | .15 | .121/2 |
| VACCINIUM, Hybrid Blueberries, | | |
| rooted ctgs | | .15 |
| Varieties: Concord, Rubel, Pioneer, Rancoca at above prices. These varieties 10c each hi Atlantic, Pemberton, Dixie. | as, Jersey, gher: We | Stanley, ymouth, |
| VIBURNUM burkwoodi, potgrafts | .40 | |
| carlesi, potgrafts | 4.0 | 0 0 4 |
| dentatum, 1-yr. S | | .05 |
| opulus, 1-yr. S | 0.0 | .05 |
| opulus nana, 1-yr. T | | .09 |
| sieboldi, 1-yr. T | | .10 |
| fragrans, 2-yr. grafts, 12-18 in | | |
| WEIGELA Bristol Ruby (patented), | | |
| R.C. or 2½ in. pots(Price of Bristol Ruby includes royalty) | .25 | .221/2 |
| vaniceki, 1-yr. C | .15 | |
| rosea, 1-yr. C | | .07 ½ |
| WISTARIA sinensis, 1-yr. S | .03½ | .03 |

All potgrafts will be ready for shipment in May, 1951

Japanese Beetle Inspection

All plants shipped outside the Japanese beetle quarantined area are accompanied with a Japanese beetle certificate. All balled and burlapped plants are shipped from treated soil. We can supply such certificate on all types of deciduous stock. We can supply these Evergreens only with such certification; Arborvitae in variety, Taxus in variety, and Canada Hemlock.

BROAD LEAFED EVERGREENS



DAPHNE CNEORUM

For Easter and Mothers' Day Forcing

Florists find Daphne a profitable forcing item. All of our Daphne is the same fine heavy type as here shown, both for forcing in the greenhouses or for garden use. This Daphne we offer is grown by the Adams Nursery and is shipped from and invoiced by that firm. Can be shipped by express at any time during the winter. Our shipper advises that shipments of Daphne handle equally well for forcing if shipped bare root, instead of in Cloverset Pots, where distant shipping point would seem to make this method more desirable. In case you order bare rooted material we suggest you be very careful to pot the stock immediately and allow the plants time to establish themselves in moderately cool temperature. Price for bare rooted plants is 10 cents less than potted plant prices.

| 1 | Up to 25 | 25 to 99 | 100 to 249 | 250 or more |
|-----------------|-------------|--------------|--------------|-------------|
| 5- 7 inch, each | \$0.65 | \$0.60 | \$0.55 | \$0.50 |
| 6- 9 inch, each | .85 | .80 | .75 | .70 |
| 9-12 inch, each | 1.05 | 1.00 | .95 | .90 |
| All f.o.b. ship | ping point. | Westfield, I | Mass. Boxing | extra |

NOTICE:—We are all sold out of Daphne all grades for Spring 1951, but we are now accepting orders for Easter and Spring 1952. May we have your order now for 1952?

| | | 10 rate each | 100 rate each |
|--------------------------|-----------|-----------------|------------------|
| COTONEASTER horizontalis | ROCK | COTO | VEASTER |
| 9 to 12 in. (pots) | | \$1.10 | \$1.00 |
| 12 to 15 in. (pots) | | | 1.40 |
| 15 to 18 in. (pots) | | 1.75 | |
| EUONYMOUS radicans | WI | NTER | CREEPER |
| 8 to 12 in | | .45 | .40 |
| 12 to 15 in | | .50 | .45 |
| 15 to 18 in | | .60 | .55 |
| radicans colorata | PURPLE WI | NTERO | CREEPER |
| 12 to 15 in | | .45 | .40 |
| 15 to 18 in | | .55 | .50 |
| 18 to 24 in | | .70 | .65 |

| | 1 | | 100 rate each |
|------------------------------|---------------|-----------|------------------|
| EUONYMUS radicans minimus KE | W W// | | |
| 4 in. pots | | | |
| Tim pots | | ψ.10 | φ.40 |
| radicans vegetus BIG LEA | $\mathbf{W}I$ | VTERO | CREEPER |
| 9 to 12 in | | .60 | .50 |
| 12 to 15 in | | | .65 |
| 15 to 18 in | | | |
| | | | |
| TAT MIA Intifation | 1.401111 | T A I X I | LAUDEL |
| | | | LAUREL |
| 12 to 18 in | | | 1.75 |
| 18 to 24 in | | | 3.00 |
| 2 to 2½ ft | | | 3.75 |
| 2½ to 3 ft | | 5.00 | 4.75 |
| | | | |
| LEUCOTHOE catesbaei DR | OOPIN | G LEU | <i>JCOTHOE</i> |
| 12 to 18 in | | 1.60 | 1.50 |
| 18 to 24 in | | 2.00 | 1.75 |
| | | | |
| PACHYSANDRA | ORIE | NTAL | SPURGE |
| 2 yr., field grown | | | .15 |
| 2½ in. pots (\$180.00 per M) | | | |
| | | | |
| PIERIS japonica | ORII | ENTAI | L PIERIS |
| 15 to 18 in | | | 1.75 |
| 18 to 24 in | | 3.25 | 3.00 |
| 2 to 2½ in | | | ••• |
| 2 to 2/2 III | | 4.00 | • • • |
| RHODODENDRON carolinianum | | | |
| | NA RH | IODOD | ENDRON |
| 12 to 18 in | | 2.80 | 2.50 |
| 18 to 24 in | | 3.80 | 3.50 |
| catawbiense CATAW. | BA RH | IODOD | ENDRON |
| 12 to 18 in | | | 2.00 |
| 18 to 24 in | | | |
| 10 to 24 m | | 0.00 | 0.20 |
| | | | ENDRON |
| 12 to 18 in | | | |
| 18 to 24 in | | 2.70 | 2.50 |
| | | | |
| VINCA minor bowles BO | WLES | PERI | WINKLE |
| Field grown | | 25 | 20 |

Field grown....

.25 .20

RHODODENDRONS AND AZALEAS

We have a good source of Rhododendrons and Azaleas in all the native varieties, both nursery grown and collected, f.o.b. North Carolina and Eastern Pennsylvania shipping points. Can book orders for full cars or full trailer truck loads. Will be glad to quote you upon your requirements.

COLLECTED STOCK

F.O.B. Winsted, Conn.

| HEMLOCK 12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft. 4 to 5 ft. | 1.50 2.50 3.50 | 100 rate each \$1.00 1.30 2.00 3.00 5.00 |
|---|----------------------|--|
| 5 to 6 ft | 7.50 | 7.00 |
| 6 to 8 ft | 11.00 | 10.00 |
| LAUREL | | |
| 12 to 18 in | 1.10 | .85 |
| 18 to 24 in | 1.65 | 1.30 |
| 2 to 3 ft | 1.90 | 1.60 |
| WHITE PINE | | |
| 2 to 3 ft | 1.50 | 1.25 |
| 3 to 4 ft | 2.50 | 2.25 |
| 4 to 5 ft | 3.50 | 3.25 |
| 5 to 6 ft | 4.25 | 3.75 |
| 6 to 7 ft | 6.00 | 5.50 |
| 7 to 8 ft | 8.00 | 7.50 |
| 8 to 10 ft | 14.00 | 12.00 |

JOIN THE A. A. N.

To all our customers who are members of the American Association of Nurserymen, it is not necessary to call attention to the fine service being rendered by that organization to our entire industry. But to you who are not members, let us say that you are missing a service which is worth many times its cost. You should belong and get this service for your own benefit. We hope that all nurserymen, who have not already done so, will send in their request for an application blank to Richard P. White, Secretary, American Association of Nurserymen, Room 636 Southern Building, Washington 5, D. C. (or if you prefer you may send this request to our office).

DECIDUOUS ORNAMENTAL TREES

| • | each | |
|---------------------------------|---------------|--------|
| ACER dasycarpum | SILVER | MAPLE |
| 6 to 8 ft | . \$1.10 | \$1.00 |
| 8 to 10 ft | . 1.60 | 1.50 |
| 10 to 12 ft | . 2.25 | 2.00 |
| 12 to 14 ft | | • • • |
| palmatum atropurpureum BLOOD LE | EAF JAP | MAPLE |
| 18 to 24 in | . 5.00 | |
| platanoides | <i>IORWAY</i> | MAPLE |
| 6 to 8 ft. (branched whips) | | |
| 8 to 10 ft | . 2.75 | |

CRIMSON KING MAPLE

ACER Schwedleri nigra

6 to 8 ft.....

(Plant patent No. 735)

This is unquestionably the best purple leaved Maple so far introduced. It carries deep colored foliage from early summer until leaves drop in the Fall.

We are now sold out on our supply for Spring and Fall 1950 and Spring 1951. Can accept orders for Spring 1952 only. Would be pleased to receive your order for 1952 shipping date.

| shipping date. | | | |
|-------------------------|-----------|-----------------|------------------|
| | | 10 rate each | 100 rate each |
| BETULA alba | EUROPEAN | WHITE | BIRCH |
| 6 to 8 ft | | \$2.50 | |
| 8 to 10 ft | | 2.75 | • • • |
| a. laciniata pendula | CUTLEAF W | EEPING | BIRCH |
| 5 to 6 ft | | 2.25 | |
| 6 to 8 ft | | 3.00 | \$2.75 |
| <i>papyrifera</i> | CANOE OR | PAPER | BIRCH |
| 4 to 5 ft | | 2.25 | 2.00 |
| 5 to 6 ft | | 2.75 | 2.50 |
| 6 to 8 ft | | 3.00 | 2.75 |
| 8 to 10 ft | | 4.50 | 4.00 |
| CASTANEA | CHINE | ESE CHE | STNUT |
| 2 to 3 ft | | 1.00 | .90 |
| 4 to 5 ft | | 2.25 | 2.00 |
| 5 to 6 ft | | 3.00 | 2.75 |
| CATALPA bungei | UMBRE | ELLA CA | TALPA |
| 4 to 5 ft., 2-yr. heads | | 1.75 | |
| 5 to 6 ft., 2 yr. heads | | 2.25 | |
| speciosa | WEST | ERN CA | TALPA |

.75

.85

| 38 S. ELM ST., WALLING | FORD, | CONN | . 19 |
|--|--------|---------------|-------------------|
| | | 10 rate | 100 rate |
| | | each | each |
| CORNUS florida WHITE F | TOWE | | |
| | | | \$.90 |
| 18 to 24 in | | | |
| 2 to 3 ft | | | 1.50 |
| 3 to 4 ft., B&B (Bush form) | | 2.00 | 1.75 |
| CODING A 11 DINE D | | | |
| CORNUS florida rubra PINK F | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | 3.00 | |
| | | | |
| CRATAEGUS OXYCANTHA splena | | n.m. TT 4 T | |
| PAUL'S S | | | VTHORN |
| 4 to 5 ft | | | |
| 5 to 6 ft | | 3.75 | |
| 6 to 7 ft | | 4.00 | |
| | | | |
| GINKGO biloba | MAID | ENHAI | R TREE |
| 6 to 8 ft | | 2.25 | |
| 8 to 10 ft | | | |
| 0 00 10 10 10 10 10 10 10 10 10 10 10 10 | | | |
| KOELREUTERIA paniculata | Ţ | <i>IARNIS</i> | H TREE |
| 6 to 8 ft | | | |
| 0 to 0 it | | 0.00 | |
| JUGLANS nigra | RI | ACK W | VALNUT |
| 4 to 5 ft | | | |
| | | 1.50 | |
| 5 to 6 ft | | 1.50 | |
| JUGLANS regia | ENG | I ISH W | VALNUT |
| 18 to 24 in | | .50 | |
| | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | 1.25 | |
| I A DITDATITM wassi | | J CHAI | N TREE |
| | | | |
| 5 to 6 ft | | | |
| 6 to 8 ft | | | |
| 8 to 10 ft | | 4.00 | |
| | | | 0170774 |
| MAGNOLIA soulangeana | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | 5.50 | 5.00 |
| | | | |
| MALUS floribunda JAPANES | | | G CRAB |
| 5 to 6 ft | | 1.50 | |
| hopa RE | ED ELO | WEDIN | C C P A R |
| | | | G CKAD |
| 5 to 6 ft | | 1.00 | |
| ionensis plena | В | ECHTE | L CRAB |
| 2 to 3 ft | | .75 | |
| 3 to 4 ft | | | |
| 4 to 5 ft | | | 1.75 |
| | | | |

| | | 100 rate each |
|--------------------------|------------------|---------------------------------------|
| MORUS alba | RUSSIAN MU | |
| | \$.50 | |
| 6 to 8 ft | | |
| | | ,,, , , , , , , , , , , , , , , , , , |
| | TEA'S WEEPING MO | JLBERRY |
| 1 yr. heads | 2.25 | • • • |
| POPULUS nigra italica | LOMBARDY | POPLAR |
| | | \$.50 |
| 8 to 10 ft | | .75 |
| | | |
| PRUNUS serrulata kwanzan | | CHERRY |
| 4 to 5 ft | | • • • |
| 6 to 7 ft | 3.00 | |
| pissardi nigra | NEWPOI | RT PLUM |
| 4 to 5 ft | 1.25 | |
| 5 to 6 ft | | |
| triloha bloma | DOUBLE FLOWERIN | IC PIIIM |
| triloba plena 2 to 3 ft | | .75 |
| 3 to 4 ft | | .90 |
| J to 4 It., | | ••• |
| SALIX babylonica | BABYLON WEEPING | WILLOW |
| 4 to 5 ft | | |
| 5 to 6 ft | 1.50 | 1.25 |
| 6 to 8 ft | 2.00 | 1.75 |
| 111- | WISCONSIN | WILLOW |
| <i>blanda</i> 5 to 6 ft | | |
| 6 to 8 ft | | 0 0 0 |
| 0 t0 0 1t | | |
| niobe | | WILLOW |
| 5 to 6 ft | | |
| 6 to 8 ft | 2.00 | |
| SORBUS aucuparia | EUROPEAN | MT. ASH |
| 5 to 6 ft | | |
| 6 to 8 ft | | |
| | | |
| ULMUS pumila | | IAN ELM |
| 6 to 8 ft | 1.10 | 1.00 |

Lining Out Stock

Please refer to pages 8 to 14 for our Lining Out List of Evergreen and Deciduous Liners.

DECIDUOUS ORNAMENTAL SHRUBS

| DECIDOOD ORNAM | DIA T W D | 1 51. | IKODS |
|---------------------------------------|-------------------|-------|------------------|
| | | | 100 rate each |
| ACANTHOPANAX pentaphyllum | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | | |
| 4 to 5 ft | | | |
| 1 00 0 10 | * * * * * * * * * | .10 | .00 |
| ALTHEA (Hibiscus syriacus) | ROS | E OF | SHARON |
| Assorted Colors, Single and Dou | ble (Bush | form) | |
| 2 to 3 ft | , | , | .30 |
| 3 to 4 ft | | | |
| | | | |
| coelestis | | 50 | 4.5 |
| 2 to 3 ft | | .50 | .45 |
| AMELANCHIER canadensis | DOWN | Y SH | ADBLOW |
| 3 to 4 ft | | .80 | .70 |
| 4 to 5 ft | | 1.00 | |
| 5 to 6 ft. (tree form) | | 1.50 | |
| | | | |
| · · · · · · · · · · · · · · · · · · · | RED | | EBERRY |
| 18 to 24 in | | .45 | |
| 2 to 3 ft | | .55 | |
| melanocarpa | BLACK | СНОК | EBERRY |
| 18 to 24 in | | .40 | .35 |
| 2 to 3 ft | | .50 | .45 |
| AZALEA calendulecea (lutea) | FL. | AME | AZALEA |
| 15 to 18 in | | | |
| 18 to 24 in | | 3.00 | |
| 2 to 2½ ft | | 3.75 | 3.50 |
| | | | |
| yodogawa | | | AZALEA |
| 12 to 15 in | | 1.50 | 1.25 |
| 15 to 18 in | | 2.25 | 2.00 |
| 18 to 24 in | | 3.00 | 2.75 |
| BERBERIS koreana | | | RBERRY |
| 18 to 24 in | | | .30 |
| 2 to 3 ft | | .45 | .40 |
| thunbergi e | | | RBERRY |
| 9 to 12 in. (\$100. per M) | | | .12 |
| 12 to 15 in. (\$125. per M) | | | |
| 15 to 18 in. (\$175. per M) | | | .20 |
| 18 to 24 in. (\$225. per M) | | | .25 |
| 2 to 2½ ft. (\$300. per M) | | | .35 |
| t. atropurpurea | REDLEA | F BA | RBERRY |
| T. T. | | | |
| 12 to 18 in | | .25 | .22 1/2 |
| 12 to 18 in | | .25 | .35 |
| 12 to 18 in | | .40 | .35 |

Bare root Shrubs and Vines are in bundles of 10; 30 or more at

100 rates.

| | 10 rate 100 race each | ate |
|--|------------------------------------|-----|
| BUDDLEIA alternifolia FOU 2-yr. No. 1 | INTAIN BUTTERFLY BUS | SH |
| BUDDLEIA | BUTTERFLY BUS | |
| 2-yr. No. 1 | | .35 |
| varieties—Charming, 1 mag | Dubonnet, Ile de France, nifica | |
| CALYCANTHUS floridus | SWEET SHRU | UB |
| | | |
| 2 to 3 ft | | |
| CARAGANA arborescens | | |
| 4 to 5 ft | | .70 |
| CLETHRA alnifolia | SUMMERSWE | ET |
| 12 to 15 in | | |
| 15 to 18 in | | |
| 18 to 24 in | | |
| CORNUS alba elegantissima | VARIEGATED DOGWOO | OD |
| 2 to 3 ft | | .75 |
| | RED-BRANCHED DOGWOO | |
| | | |
| 2 to 3 ft | | |
| 3 to 4 ft | | .45 |
| <i>amomum</i> 3 to 4 ft | SILKY DOGWOO | OD |
| | | |
| paniculata 3 to 4 ft | GRAY DOGWOO | UD |
| 4 to 5 ft | | |
| 5 to 6 ft | | |
| stolonifera | RED OSIER DOGWOO | OD |
| 2 to 3 ft | | .40 |
| 3 to 4 ft | | .50 |
| stolonifera lutea | GOLDENTWIG DOGWOO | OD |
| 18 to 24 in | | .35 |
| 2 to 3 ft | | .40 |
| 3 to 4 ft | | .50 |
| 4 to 5 ft | | |
| COTONEASTER acutifolia | PEKIN COTONEASTI | ER |
| 18 to 24 in | | |
| 2 to 3 ft | | |

| | | 10 rate each | 100 rate each |
|-----------------------------------|--------------|-----------------|------------------|
| COTONEASTER horizontalis | ROCK | COTON | EASTER |
| 9 to 12 in. (pots) | | \$1.10 | \$1.00 |
| 12 to 15 in. (pots) | | | 1.40 |
| 15 to 18 in. (pots) | | 1.75 | |
| CYDONIA japonica | FLOW | ERING | QUINCE |
| 12 to 18 in | | | .25 |
| 18 to 24 in | | | .35 |
| 2 to 3 ft | | | .50 |
| DAPHNE mezereum | FFRR | IIARV I | DAPHNE |
| 15 to 18 in | LLDK | | .80 |
| 18 to 24 in | | | 1.20 |
| | | | |
| DESMODIUM penduliflorum | | | CLOVER |
| 3 to 4 ft | | | .40 |
| 4 to 5 ft | | .60 | .50 |
| DEUTZIA scabra crenata | DBL. I | PINK D | EUTZIA |
| 18 to 24 in | | .40 | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | .60 | • • • |
| DEUTZIA waterer | DOI | URLE D | EUTZIA |
| 18 to 24 in | | | .30 |
| 2 to 3 ft | | | .35 |
| lemoine | | | EUTZIA |
| 18 to 24 in | | | .50 |
| 2 to 3 ft | | | .60 |
| scabra | PRIDE | | |
| 18 to 24 in | | | .25 |
| 2 to 3 ft | | | .35 |
| 3 to 4 ft | | | .45 |
| | | | |
| EUONYMUS europeaus | _ | | G BUSH |
| 2 to 3 ft | | | .40 |
| 3 to 4 ft | | | .50 |
| yedoensis | | | VYMOUS |
| 2 to 3 ft | | | .50 |
| 3 to 4 ft | | .70 | .60 |
| bungeanus | | 1.05 | 1 10 |
| 5 to 6 ft | | 1.25 | 1.10 |
| EXOCHORDA grandiflora | | PEAR | L BUSH |
| 2 to 3 ft | | .50 | .40 |
| | | | TAT DETT |
| FORSYTHIA intermedia | | | .N BELL .25 |
| 18 to 24 in | | | .40 |
| 2 to 3 ft | | | |
| 4 to 5 ft | | | |
| | | | |
| Bare root Shrubs and Vines are in | n bundles of | 10; 30 o | more at |
| 100 rates. | | | |

| | | | 100 rate each |
|----------------------------------|-----------------------------|---------|------------------|
| FORSYTHIA i. spectabilis | SHOWY | GOLDE | EN BELL |
| 18 to 24 in | | \$.35 | \$.30 |
| 2 to 3 ft | | .40 | .35 |
| 3 to 4 ft | | .50 | .45 |
| 4 to 5 ft | | .65 | .60 |
| ovata | EARI | Y.Y FOR | SYTHIA |
| 18 to 24 in | | .40 | .35 |
| 2 to 3 ft | | .45 | .40 |
| | MROSE BORDI | | |
| 3 to 4 ft | | .50 | .45 |
| 4 to 5 ft | | .65 | .60 |
| | | | |
| "SPRING GLORY" | PALE YELLO | ., | |
| 2 to 3 ft | | .40 | .35 |
| 3 to 4 ft | | .50 | .45 |
| fortunei | | GOLDE | N BELL |
| 2 to 3 ft | | .40 | .35 |
| 3 to 4 ft | | .50 | .45 |
| 4 to 5 ft | | .65 | .60 |
| | GREENSTE | M FOR | SYTHIA |
| 2 to 3 ft | | .45 | .40 |
| | | | |
| HAMAMELIS virginiana 18 to 24 in | | .40 | HAZEL |
| HIBISCUS (See ALTHEA) | ROS | SE OF S | SHARON |
| HYDRANGEA A. G. H. | | | |
| 18 to 24 in | | .45 | .40 |
| 2 to 3 ft | | .55 | .50 |
| 3 to 4 ft | | .65 | .60 |
| | | | |
| paniculata grandiflora | PEE GEI | | |
| 12 to 18 in | | | .30 |
| 18 to 24 in | | | |
| 2 to 3 ft | | | .50 |
| 3 to 4 ft | | | |
| P.G. (tree form) | | | RANGEA |
| 2 to 3 ft | | | |
| 3 to 4 ft | | 1.25 | |
| HYPERICUM densiflorum | SI | r. IOHN | VSWORT |
| 2 to 3 ft | | | .45 |
| ILEX verticillata | T | VINTE | RBERRY |
| 18 to 24 in | · · | | (DERRI |
| 2 to 3 ft | | | .50 |
| | | | |
| KOLKWITZIA amabilis | | | Y BUSH |
| 12 to 18 in | | | .25 |
| 18 to 24 in | | .45 | .40 |
| | | | |
| 3 to 4 ft | • • • • • • • • • • • • • • | .55 | .50 |

| | 10 rate each | 100 rate |
|--|-----------------|-----------|
| LIGUSTRUM amurense | | PRIVET |
| 9 to 12 in. (\$60. per M) | | |
| 12 to 18 in. (\$ 70. per M) | | .10 |
| 18 to 24 in. (\$100. per M) | | |
| 2 to 3 ft. (\$150. per M) | | |
| 3 to 4 ft. (\$180. per M) | | .20 |
| An | | |
| 12 | | PRIVET |
| 9 to 12 in. (\$ 50. per M) | | |
| 12 to 18 in. (\$ 60. per M) | | |
| 18 to 24 in. (\$ 80. per M) | | .10 |
| 2 to 3 ft. (\$120. per M) | | |
| 3 to 4 ft. (\$175. per M) | | .20 |
| ibota regalianum (from cuttings) | | PRIVET |
| 18 to 24 in | | .30 |
| 2 to 2½ ft | 45 | .40 |
| ovalifolium CALIF | CORNIA | PRIVET |
| 9 to 12 in. (\$ 50. per M) | | |
| 12 to 18 in. (\$ 60. per M) | | .08 |
| 18 to 24 in. (\$ 80. per M) | | .10 |
| 2 to 3 ft. (\$120. per M) | | .15 |
| 3 to 4 ft. (\$175. per M) | | |
| | | |
| LONICERA bella albida WHITE BELL | | SUCKLE |
| 4 to 5 ft | .65 | .60 |
| koralkowi BLUE LEAF | HONEY. | SUCKLE |
| 18 to 24 in | | |
| 2 to 3 ft | | |
| | | |
| maacki AMUR 2 to 3 ft | | SUCKLE |
| 3 to 4 ft | | 45 |
| | | .45 |
| 4 to 5 ft | | |
| morrowi MORROW | HONEY | SUCKLE |
| 3 to 4 ft | .55 | .50 |
| pulcherrima | | |
| 3 to 4 ft | .55 | .45 |
| | | SUCKLE |
| 18 to 24 in | | |
| 2 to 3 ft | | 25 |
| | | .35 |
| tatarica TATARIAN I | | SUCKLE |
| 18 to 24 in | | .25 |
| 2 to 3 ft | | .35 |
| 3 to 4 ft | .50 | .45 |
| tatarica alba WHITE TATARIAN I | HONEYS | SUCKLE |
| 4 to 5 ft | .60 | .55 |
| Bare root Shrubs and Vines are in bundles of | 10: 20 0 | r more at |
| 100 rates. | 10, 30 01 | more at |

100 rates.

| | | 10 rate each | 100 rate each |
|---------------------|--------------|-----------------|------------------|
| LONICERA t. rosea 1 | | | |
| 18 to 24 in | | | \$.25 |
| | | | .35 |
| | | | .45 |
| 4 to 5 ft | | 60 | .55 |
| t. rubra | RED TATARIAN | | |
| | | | .25 |
| 2 to 3 ft | | | .40 |
| | | | .50 |
| 4 to 5 ft | | 60 | .55 |
| t. zabeli | ZABEL RED | HONEY | |
| 18 to 24 in | | | .30 |
| 2 to 3 ft | | | .40 |
| 3 to 4 ft | | | .50 |
| 4 to 5 ft | | 65 | .60 |
| PHILADELPHUS alba | tre | | |
| | | 60 | .50 |
| | | | .60 |
| avalanche | | | |
| | | 50 | .40 |
| | | | .50 |
| boquet blanc | | | |
| • | | 50 | .45 |
| | | | .50 |
| coronarius | SWEE | T MOCK | ORANGE |
| 18 to 24 in | | 35 | .30 |
| 2 to 3 ft | | 45 | .40 |
| 3 to 4 ft | | 55 | .50 |
| 4 to 5 ft | | 65 | .60 |
| enchantment | | | |
| 3 to 4 ft | | | .55 |
| 4 to 5 ft | | 70 | .65 |
| grandiflorus | BIG SCENTLES | S MOCK | ORANGE |
| 2 to 3 ft | | 40 | .35 |
| | | | .50 |
| 4 to 5 ft | | 60 | .55 |
| glacier | | | ORANGE |
| | | | .50 |
| 4 to 5 ft | | 65 | .60 |
| lemoinei | LEMOIN | | ORANGE |
| | | | |
| 2 to 3 ft | | | |
| virginalis | VIRGINA | | |
| | | | .25 |
| | | | .35 |
| | | | .40 |
| 3 to 4 ft | | 60 | .55 |
| | | | |

| | | 10 rate each | 100 rate each |
|---|-----------------|-----------------|------------------|
| PHOTINA villosa | | | |
| 2 to 3 ft | | | \$.40 |
| 3 to 4 ft | | | .50 |
| 4 to 5 ft | | .65 | .60 |
| PRUNUS glandulosa rosea | | SDING 4 | , MOND |
| | INK FLOWE | | |
| 18 to 24 in | | | .45 .55 |
| 3 to 4 ft | | | |
| glandulosa sinensis | | | |
| DOUBLE WH | | | |
| 18 to 24 in | | .55 | .50 |
| maritima | | | PLUM |
| 12 to 15 in | | .30 | .25 |
| triloba | FLO | WERING | PLUM |
| 2 to 3 ft | | .80 | .75 |
| 3 to 4 ft | | 1.00 | .90 |
| tomentosum | NAN | KING C | HERRY |
| 3 to 4 ft | | | |
| 4 to 5 ft | | | .75 |
| RHODOTYPOS kerrioides | и | VHITE E | KERRIA |
| 18 to 24 in | | | |
| 2 to 3 ft | | | |
| 3 to 4 ft | | .70 | .60 |
| RHUS cotinus | | SMOKE | E BUSH |
| 2 to 3 ft | | .80 | .75 |
| 3 to 4 ft | | | |
| ROSA hugonis | GOLDEN R | | CHINA |
| 18 to 24 in | | | .50 |
| 2 to 3 ft | | | .60 |
| multiflora | | | |
| 18 to 24 in. (\$150. per M). | | .171/2 | |
| rugosa | RED | RUGOSA | A ROSE |
| 12 to 18 in | | .35 | .30 |
| 18 to 24 in | | .45 | .40 |
| 2 to 3 ft | | .55 | .50 |
| rugosa alba | WHITE | RUGOSA | A ROSE |
| 12 to 18 in | | | .45 |
| 18 to 24 in | | .65 | .60 |
| SALIX caprea | FRENCH P | USSY W | TLLOW |
| 18 to 24 in | | | .25 |
| 2 to 3 ft | | .40 | .35 |
| 3 to 4 ft | | .50 | .45 |
| Bare root Shrubs and Vines are 100 rates. | in bundles of I | 10; 30 or | more at |

| | | 100 rate |
|----------------------------|------------------|----------|
| SAMBUCUS nigra aurea | GOLDE | N ELDER |
| 2 to 3 ft | \$.40 | \$.35 |
| 3 to 4 ft | | .45 |
| SPIRAEA anthony waterer | | |
| 12 to 15 in | | |
| 15 to 18 in | | .35 |
| 18 to 24 in | | .45 |
| froebeli | FROEBEL | |
| 15 to 18 in | | |
| 18 to 24 in | | |
| 2 to 3 ft | | .40 |
| A | BRIDAL WREATH | |
| 2 to 3 ft | | .45 |
| thunbergi | IIIOIVDDICO | |
| 18 to 24 in | | .30 |
| 2 to 3 ft | | .40 |
| 3 to 4 ft | | .60 |
| trichocarpa | KOREAN | SPIRAEA |
| 2 to 3 ft | | |
| | VAN HOUTTE | SPIRAEA |
| 18 to 24 in | | .20 |
| 2 to 3 ft | | .30 |
| 3 to 4 ft | 4 5 | .40 |
| SYMPHORICARPOS chenau | lti CHENAULT COR | ALBERRY |
| 18 to 24 in | | .30 |
| 2 to 3 ft | | .40 |
| racemosus | SNO | WBERRY |
| 18 to 24 in | | .25 |
| 2 to 3 ft | | .35 |
| 3 to 4 ft | 5 0 | .45 |
| vulgaris | COR. | ALBERRY |
| 12 to 18 in | | .20 |
| 18 to 24 in | | |
| 2 to 3 ft | | .35 |
| SYRINGA chinensis (rothoma | gensis) CHINE | SE LILAC |
| 2 to 3 ft | | |
| 3 to 4 ft | | |
| 4 to 5 ft | | .70 |
| persica | | AN LILAC |
| 2 to 3 ft | | .50 |
| 3 to 4 ft | | .60 |

| | | 10 rate | 100 rate |
|---|---------------|------------------|----------|
| SYRINGA persica alba | WHITE | each PEPSIANI | each |
| 18 to 24 in | | | \$.40 |
| 2 to 3 ft | | | .50 |
| villosa | | | LILAC |
| 2 to 3 ft | | | .40 |
| 3 to 4 ft | | | .55 |
| vulgaris | | COMMON | LILAC |
| 18 to 24 in | | | .30 |
| 2 to 3 ft | | | .40 |
| 3 to 4 ft | | 60 | .50 |
| v. alba | | V WHITE | LILAC |
| 18 to 24 in | | | .40 |
| 2 to 3 ft | | 60 | .50 |
| vulgaris (FRENCH HYBRIDS | 5) | | |
| 18 to 24 in. (on Privet) | | 75 | .65 |
| 2 to 3 ft. (on Privet) | | . 1.00 | |
| Varieties: Abel Carriere, dbl. purple | | | |
| Charles Joly, dbl. dk. purple | | | |
| Charles X , sgl. red | | | |
| Marie LeGraye, sgl. white | 1 | | |
| Michael Buchner, dbl. lilac-pu Ludwig Spaeth, sgl. red | irple | | |
| Mrs. Edward Harding, dbl. pr | urple · | | |
| Pres. Grevy, dbl. blue | ar pro | | |
| TAMARIX africana | AFRIC | CAN TAM | ARISK |
| 18 to 24 in | | 25 | .20 |
| 2 to 3 ft | | 35 | .30 |
| 3 to 4 ft | | | .40 |
| amurensis | AM | IUR TAM | ARISK |
| 2 to 3 ft | | 45 | |
| odessana | | SSA TAM | ARISK |
| 18 to 24 in | | | .35 |
| 2 to 3 ft | | 60 | .45 |
| VIBURNUM americanum | AMERICA | AN CRANI | BERRY |
| 18 to 24 in | | 40 | .35 |
| 2 to 3 ft | | | .50 |
| 3 to 4 ft | | 70 | .60 |
| | MAYFLOW | | RNUM |
| 12 to 18 in., B&B | | | 1.10 |
| 18 to 24 in., B&B | | | 1.70 |
| 2 to 2½ ft., B&B | | | 2.40 |
| 2½ to 3 ft., B&B | | . 3.00 | |
| dentatum | | ARROW | |
| 18 to 24 in | | | .30 |
| 2 to 3 ft | | | .40 |
| 3 to 4 ft | | .55 | .50 |
| Bare root Shrubs and Vines are 1 | in bundles of | f 10; 30 or | more at |

100 rates.

| | 10 rate each | 100 rate each |
|------------------------|-------------------|------------------|
| VIBURNUM opulus E | UROPEAN CRANBERRY | BUSH |
| 18 to 24 in | \$.45 | \$.40 |
| 2 to 3 ft | | .50 |
| 3 to 4 ft | | .60 |
| 4 to 5 ft | | .70 |
| opulus sterilis | COMMON SNOT | WBALL |
| 18 to 24 in | | .50 |
| 2 to 3 ft | | .60 |
| 3 to 4 ft | | .70 |
| 4 to 5 ft | | |
| WEIGELA "Bristol Ruby" | (Patent No. 492) | |
| 18 to 24 in | | .40 |
| 2 to 3 ft | | .60 |
| 3 to 4 ft | . 92 | .80 |
| 4 to 5 ft | | 1.00 |
| Eva Rathke | RED WE | EIGELA |
| 18 to 24 in | | .40 |
| 2 to 3 ft | | .50 |
| rosea | PINK WE | EIGELA |
| 18 to 24 in | | .25 |
| 2 to 3 ft | | .35 |
| 3 to 4 ft | | .45 |
| rosea hendersoni | HENDERSON W. | EBELA |
| 2 to 3 ft | 4 5 | .40 |

HYBRID BLUEBERRIES

We have a fine supply of this popular item, both in heavy plants potted in paper pots and dormant rooted from the field. We have all grades from liners to large 2-3 ft. plants balled and burlapped. If interested please write us for our list of varieties and prices.

ROSES

We will have a good assortment of *Hybrid Tea*, *Climbing* and *Polyantha Roses* for shipment from reliable growers. Our Rose shipments have always given satisfaction and this coming season the quality will be exceptionally good. We can supply both dormant rooted and wrapped Roses. Will be glad to quote upon your requirements. We will have our usual supply of *Potted Roses for shipment about May 15, 1951*.

HARDY VINES

| 11111121 | | |
|--|---|--------------|
| | 10 rate each | each |
| AMPELOPSIS quinquefolia | VIRGINIA CR | EEPER |
| 2-yr., 18 to 24 in | \$.25 | \$.20 |
| 2-yr., 2 to 3 ft | | .25 |
| englemani | ENGLEMA | AN IVY |
| 2-yr., No. 1½ | | .20 |
| 2-yr., No. 1 | | .25 |
| heterophylla | PORCELA | IN IVY |
| 2-yr., No. 1 | | |
| lowi | GERANIU | |
| 3 in pot | | .30 |
| tricuspidata (veitchi) | BOSTO | |
| 2-yr., No. 1 | <i>BUST</i> 0 | |
| Potted plants (Cloverset Pots) | | .35 |
| 2 obtou plants (cloverset 1 ots) | | .50 |
| | TRUMPE1 | VINE |
| 2-yr., No. 1 | | .25 |
| CDV 40mpvia | | |
| CELASTRUS orbiculatus ORIE | NTAL BITTERS | SWEET |
| 2-yr., No. 1 | | .35 |
| scandens AMER | CICAN BITTERS | SWEET |
| 2-yr., No. 1 | | .35 |
| CLEMATIS hybrids Jackmani (purple), Henryi (white) Mme Edouard Andre (crimson) | | blue), |
| 2-yr., No. 1 | | .70 |
| LONICERA heckrotti GOLDEN FL. | AME HONEYSI | <i>JCKLE</i> |
| 2-yr., No. 1 | | .50 |
| japonica halleana HALL'S JA | | ICKLE. |
| 2-yr., No. 1 (\$200. per M) | | .25 |
| sempervirens SCARLET TRUM | | |
| 2-yr., No. 1 | | |
| sempervirens magnifica | • | .00 |
| 2 yr., No. 1 | | .30 |
| | | ,,,, |
| | MATRIMONY | |
| 2 to 3 ft | 3 5 | .30 |
| DOLUCONUM 1 | | |
| POLYGONUM auberti | SILVER LACE | |
| 2-yr | 50 | .45 |
| WISTERIA chinensis, Purple Grafts | | |
| 2-yr., No. 1 | | .75 |
| Bare root Shrubs and Vines are in bune | | nore at |
| 100 rates. | , 103 <u>0</u> , 10, 30 01 1 | nore at |

FRUIT TREES

FRUIT TREES STANDARD APPLES—2 Yr.

| | | | rate ach | 100 rate each |
|----------------------------------|--|----------------------------------|--|-----------------------|
| No. 1 Grade, 11/16 in. | and un | | \$.45 | \$.40 |
| Medium Grade, 9/16 i | | | .40 | .35 |
| No. 2 Grade, 7/16 to 9 | | | .30 | .25 |
| | | | .70 | .65 |
| Extra Size, 7/8 in. and | | | | .90 |
| Extra Size, 3-yr. 1 in. | | McInt | 1.00 | .90 |
| Dutchase | Gravenstein Hyslop Crab Jonathan Kendall King Ea. McIntosh Red Astrachan | North Staym Wealt Winte | ern Spy nan's Wi hy r Banan v Transi | а, |
| | 5-N-1 APPLES | | | |
| 2-yr. 11/16 in. cal | | | | 1.25 |
| McIntosh Baldwin | Red Delicious Jonathan | Yellov | v Delicio | ous |
| | DWARF APPLES | | | |
| 2-yr., 5/8 in | | | 1.60 | 1.50 |
| 2-yr., ½ in | | | 1.10 | 1.00 |
| Baldwin Delicious Cortland | McIntosh Northern Spy | R. I. Stayn | Greening nan's Wi w Trans | g inesap parent |
| APR | ICOT—2 Yr. (on Pl | um) | | |
| No. 1 Grade, 11/16 in | | | .90 | .85 |
| 9/16 in | | | .75 | .70 |
| 7/16 in | | | .50 | .45 |
| 7/8 in extra size | | | 1.00 | .90 |
| Early Golden | Hungarian | Moor | park | |
| | CHERRY—Sour | | | |
| | | | .90 | .80 |
| 2-yr., 11/16 in. and up | | | .75 | .60 |
| 2-yr., 9/16 in. and up | | | .60 | .55 |
| 2-yr., 7/16 in. and up | | | 1.20 | 1.10 |
| 2-yr., 7/8 in. and up. | English Morello | Mont | | |
| | CHERRY—Sweet | | | |
| 2-yr., 11/16 in. and up |) | | 1.25 | |
| 2-yr., 11/16 in. and up | | | 1.10 | 1.00 |
| 1-yr., 11/10 in. and up | J | | .90 | .80 |
| 1-yr., 9/16 in. and up | | | .75 | .65 |
| 1-yr., 7/16 in. and up | Black Tartarian Napoleon Biggereau | Gov. | Wood | |
| Windsor | Maporcon Diggereau | | | |

STANDARD PEAR—2 Yr.

| | | | 100 rate |
|--|---------------------------------------|---------------------------|------------|
| Fytra cigo 7/8 in and | Lun | each | each |
| Extra size 7/8 in. and No. 1 Grade, 11/16 in | and up | \$.80 | \$.75 |
| Medium Grade, 9/16 | in to 11/16 in | 65 50 | .60 |
| No. 2 Grade, 7/16 in. | to 9/16 in | | .45 .35 |
| 3-yr., 1 in. cal | | | .85 |
| Bartlett | Clapp's Favorite | Seckel | ,00 |
| Beurre D'Anjou Bosc | Dutchess Flemish Beauty | Keiffer Sheldon | |
| Cayuga | Gorham | | |
| | | | |
| PLUM | (on Plum understock | k)—2 yr. | |
| Extra size 7/8 in. and | up, 3 yr | | .75 |
| No. 1 grade, 11/16 in. | and up | | .60 |
| Medium Grade, 9/16 | in | | .50 |
| No. 2 Grade, 7/16 in. | | | .35 |
| Abundance | Fellemberg Reine Claude | Shropshire Dam | son |
| Burbank | rteine Claude | Stanley | |
| | | | |
| | PEACH—1 Yr. | | |
| 9/16 in | | | .50 |
| 7/16 in | | | .37 |
| 5/16 in | | | .25 |
| | | | .20 |
| Carman Elberta | Hale Haven J. H. Hale Red Haven | South Haven Valient | |
| Golden Jubilee | | | |
| | | | |
| | DWARF PEAR | | |
| 2-yr., 5/8 in. and up | | 1.00 | .80 |
| 2-yr., $\frac{1}{2}$ in. and up | | | .60 |
| Bartlett Duchess | Clapp's Favorite Keiffer | Seckel | |
| Duchess | Kemer | | |
| | | | |
| | QUINCE | | |
| 2-yr., 5/8 in. and up | | | .90 |
| 2-yr., $\frac{1}{2}$ in. and up | | 75 | .70 |
| | Orange | | |
| | | | |
| | GRAPES | | |
| 2-yr. No. 1 | | 25 | .22 |
| | (except as noted) | | W Add And |
| Agawam (20c) | Diamond | Moores Early | |
| Caco Concord (17c) | Fredonia (20c) Golden Muscat (50c) | Niagara (20c) Portland | |
| Delaware | Green Mountain | Worden | |
| | | | |
| | RASPBERRIES | | |
| 2-yr., No. 1, Transplar | | | .10 |
| Cumberland (Black) | Indian Summer (Red) | Newburgh (Red) | |
| Dundee (Black) | Latham (Red) | Taylor (Red) | |

BLACKBERRIES

| | BLACKBERRIES | | |
|-------------------------------------|---------------------------|-----------------|-------------|
| Transplants | Eldorado | 10 rate each | |
| нv | BRID BLUEBERRI | FS | |
| In Cloverset pots: 18 to 24 in | | | .90 1.00 |
| 2-yr., No. 1 | | | .40 |
| 2-yr. No. 1 (\$25.00 pe Paradise | ASPARAGUS r M) Washington | | .04 |
| | | | |

| WATER LILIES | |
|---|---|
| Strong 2-year clumps. Not small divisions | |
| HARDY WATER LILIES Odorata Gigantea (White) Marliac Albida (White) Gladstone (White) Tuberosa Maximia (White) Helen Fowler (Pink) Pink Opal (Pink) Marliac Carnea (Pink) Rose Arey (Pink) Sunrise (Yellow) Marliac Chromatella (Yellow) Attraction (Red) Gloriosa (Red) Aurora (Changeable) | Each \$.40 .80 1.10 .70 .75 .60 .80 1.25 1.50 1.10 1.50 1.25 .80 |
| TROPICAL WATER LILIES Mrs. Geo. H. Pring (White) General Pershing (Pink) Zanzabariensis Rosea (Pink) Pennsylvania (Blue Beauty) Mrs. Whittaker (Blue) Dauben (Blue) Panama Pacific (Purple) Zanzabariensis (African purple lily) TROPICAL NIGHT BLOOMERS | 1.10 1.10 .90 1.00 1.10 .75 1.10 1.00 |
| Omarana (Pink) | .90 .90 .90 |

PERENNIALS

| | 10 rate each | 100 rate |
|---|-----------------|------------|
| ACHILLEA sericea, creamy white 6 in. high. Snowball, 20 in. pure white, good cut | \$.25 | \$.20 |
| flower | .20 | .15 |
| AJUGA genevensis, good ground cover | .20 | .15 |
| ALYSSUM saxatile citrinum | .25 .25 | .20 .20 |
| ANCHUSA Italica Dropmoremyosotidiflora | .20 .25 | .15 .20 |
| ANTHEMIS Golden Dawn (Patent applied f | | |
| Golden yellow fully double | .40 .25 | .25 |
| AQUILEGIA Mrs. Scott Elliots Hybrids | .20 | .15 |
| Crimson Star | .25 .20 | .20 |
| Yellow. | .20 | .15 |
| Pink | .20 | .15 |
| White: | .20 | .15 |
| ARMERIA Vindictive | .25 | .20 |
| ARTEMISIA Lactiflora | .25 | .20 |
| Silver King | .25 | .20 |
| ASTERS Novae Belgi varieties: | | |
| Beechwood Challenger—medium height with masses of glowing crimson flowers | .25 | .20 |
| Blue Gown, lovely China-Blue, Sept | .25 | .20 |
| Blue Symphony—New—The latest to bloom. Tall, vigorous with bright sil- | .25 | 20 |
| very blue semi-double flowers | | .20 |
| Mount Everest—The finest White Aster Olga Keith—NEW—A strong growing | .25 | .20 |
| medium tall, mauve pink. The same habit as Aster Violetta | .25 | .20 |
| Palmyra—Strong growing with clear, pink flowers | .25 | .20 |
| Plenty—New—Best and largest blue | .25 | .20 |
| Violetta—The loveliest, deepest, and richest blue aster | .25 | .20 |
| luteus Goldflake—Wide flattened panicles of tiny, starry flowers that open yellow | | |
| and age to cream. Good cut flower | .25 | .20 |
| frikarti | .25 | .20 |

| | 10 rate each | 100 rate each |
|---|-----------------|------------------|
| ASTER dwarf, Constance, shell pink | \$.20 | \$.15 |
| Lavanda, lavender blue | .20 | .15 |
| Niobe, white | .20 | .15 |
| Victor, light blue | .20 | .15 |
| Red Boy, crimson red | .25 | .20 |
| Margaret Rose, rose pink | .25 | .20 |
| ASTER, New England Varieties: Harringtons Pink, 4 ft. tall, lovely pink without any magenta. Strong field plants | .25 | .18 |
| | | .10 |
| ASTILBE Fanal, Feathery plumes of brillian red | .35 | .30 |
| BAPTISIA australis | .25 | .20 |
| BOCCONIA cordata, Plume Poppy | .25 | .20 |
| | * | |
| BUDDLEIA White Cloud | .30 | .25 |
| CAMPANULA carpatica, Blue Carpet, | .25 | .20 |
| (\$18.00 per M) | .40 | .40 |
| blue, pink, white | .20 | .15 |
| persicifolia Misty Morn | .25 | .20 |
| CARNATION Hardy Border, Scarlet rose, | | |
| yellow, white | 20 | .15 |
| CENTAURIA Montana, Blue Cornflower | .20 | .15 |
| CHRYSANTHEMUM maximum: Shasta D | aisy | |
| King Edward | .20 | .15 |
| Majestic | .25 | .20 |
| Esther Reed | .25 | .20 |
| Mt. Shasta | .25 | .20 |
| CHRYSOGONUM Virginianum, bright golden | L | |
| flowers, good ground color in shade or | | |
| sun | .25 | .20 |
| COREOPSIS Baden Gold, new huge single | .25 | .20 |
| | | |
| CORONILLA cappadosica, yellow Crown- | 0.5 | 00 |
| vetch | .25 | .20 |
| DELPHINIUM belladonna | .20 | .15 |
| bellamosa | .20 | .15 |
| Lamartine | .20 | .15 |
| Chinensis (Blue Butterfly) | .20 | .15 |
| Pacific Hybrids | .20 | .15 |
| Galahad, pure white | .30 | .25 |
| | | |
| - | .30 | .25 |
| Cameliard, smoky lavender King Arthur, dark purple. | .30 | .25 .25 |

| | 10 rate | 100 rate |
|---|---------------|-------------------|
| DIANTHUS Rose Unique | each \$.25 | <i>each</i> \$.20 |
| Dubonnet, deep warm dubonnet | .25 | .20 |
| Old Spice, plant patent No. 499 | .45 | .25 |
| latifolius Beatrix, salmon pink | | .15 |
| latifolius Silvermine, our own introduc- | .20 | ,10 |
| tion. A white Beatrix | .25 | .20 |
| Tiny rubies, tiny carnation-like flowers | .20 | .15 |
| Wallace Red | .25 | .20 |
| Barbatus, Sweet William, giant white, | | |
| giant scarlet, giant Newport pink | .20 | .15 |
| June Carmine, strong growing and hardy. | .25 | .20 |
| DICENTRA exemia | .25 | .20 |
| exemia Sweetheart | .30 | .25 |
| spectabilis, large garden size | .50 | .45 |
| | .00 | .10 |
| DIGITALIS Giant Shirley Hybrids | .20 | .15 |
| DIGITALIS ambigua | .25 | .20 |
| DORONICUM excelsum | 25 | 00 |
| Md. Mason | .25 .25 | .20 |
| | .20 | .20 |
| ECHINOPS Taplow Blue | .25 | .20 |
| EUPATORIUM coelestinum | .25 | .20 |
| FUNKIA subcordata grandiflora | .40 | .35 |
| varigata | .25 | .20 |
| Thomas Hogg | .40 | .35 |
| | | |
| GAILLARDIA General George Patton (Patent applied for) | .50 | .30 |
| grandiflora, Giant Hybrids | .20 | .15 |
| Mr. Sherbrook, pure yellow | .35 | .30 |
| | ,00 | .00 |
| GERANIUM lancastriensis, salmon pink | .25 | .20 |
| Russell Pritchard, intense gentian blue | | |
| flowers on low growing plants | .35 | .25 |
| GEUM Fire Opal, large scarlet | .25 | .20 |
| Princess Juliana, rich golden yellow | .25 | .20 |
| Wilton Ruby, deep, ruby red | .35 | .30 |
| | 40 | 1 0" |
| GYPSOPHILA Bristol Fairy | .40 | .35 |
| Flamingo, double pink, choice | .50 | .45 |
| Paniculata | .20 | .15 |
| Rosy Veil | .25 | .20 |
| HELIOPSIS patula | .25 | .20 |
| imbricata | .25 | .20 |
| HELENIUM Sunburst | .25 | .20 |
| Riverton Beauty | .25 | .20 |
| Riverton Gem | .25 | .20 |
| Moerheim Beauty | .25 | .20 |
| | .40 | .20 |

| | 10 rate each | 100 rate each |
|--|---------------------|-------------------------|
| HEMEROCALLIS | | |
| These varieties are among the best obtain them are priced at less than half that charged lists. No plants are easier to handle and the where giving you bloom from early June to Se August Pioneer, crome yellow, red spots. | ey will geptember | grow any- |
| August, September | \$.33 | • • • |
| Bagdad, rich red tone, June, July | | |
| Bright Melody | Annual printer | |
| Coralline, giant shrimp | | • • • |
| Enchantress, soft yellow with pink | | • • • |
| Flavina, lemon, very early | | |
| Golden Dawn, golden orange, very early Hyperion, large soft canary yellow | , | |
| Matador, mahogany red, tall, August | | |
| Morocco Red, large smooth red | | |
| Ophir, large yellow trumpet | | |
| Pink Charme, soft pink | | |
| Persian Princess, dark port wine | | |
| Rajah, good dark red | | |
| Serenade, pink shading | 35 | |
| HEUCHERA Rosamundi Splendens, dark red | | \$.20 .20 |
| HIBISCUS—in choice, new named varieties A beautiful new strain of hardy giant mapetaled flowers measure from 8 to 12 inches cry from the old seedling types. | allows. in diame | The heavy ter. A far |
| Clown, salmon pink with velvet crimsoneye, rather low growing, \$1.50 each—Per 10, \$10.00. | <u>n</u> | |
| Radiation, clear pink with darker center \$1.50 each—Per 10, \$10.00. | r, | |
| Poinsettia, a deep red self, \$1.50 each—Per 10, \$10.00. | | |
| Pure White, large flowers, \$1.50 each—Per 10, \$10.00. | | |
| Satan, velvety maroon-red, tall, \$1.50 each—Per 10, \$10.00. | | |
| Silver Rose, pink satin with darker vein \$1.50 each—Per 10, \$10.00. | s, | |
| Giant Sunny Border Hybrids | 25 | .20 |
| HOLLYHOCKS Chaters double, white, yello red, rose pink, salmon | w, 20 | .15 |

IBERIS Purity. New improved Snowflake, blooms 100%.....

Snowflake.....

.30

.20

.35 .25

| | 10 rate each | 100 rate each |
|---|-----------------|------------------|
| IRIS Siberian, new lovely hybrids | | |
| Caesar's Brother, large pansy purple 42 | | |
| in. tall | | \$.30 |
| Gatineau, large silvery sky blue 40 in. tall | | .30 |
| Helen Astor, true rosy red 30 in. tall | .75 | .60 |
| Llewelyn, clear electric blue 36 in. tall | .50 | .30 |
| Mildred Stahlman, large china blue 30 in. tall | .50 | .30 |
| Ottowa, velvety purple with white edges | | |
| 28 in. tall | .50 | .30 |
| Snow Crest, outstanding large white 36 | | .30 |
| in. tall | .50 | |
| Snowy Egret, outstanding large white | .75 | .60 |
| IRIS Dwarf, excelsa, early yellow | .20 | .15 |
| Sambo, early dark purple | .20 | .15 |
| The Bride, early white | .20 | .15 |
| IRIS German | | |
| German Iris in new modern varieties. There in these better kinds. Why not put in a disp | | of interest |
| Alta California, tall, light yellow | \$.20 | \$.15 |
| Blue Monarch, large, light blue | .20 | .15 |
| Buechley Giant, medium lavender with hug | | |
| flowers | .25 | .20 |
| Buffaun, fawn with tangerine beard | .25 | .20 |
| California Peach | .20 | .15 |
| China Maid, soft mallow pink | .25 | .20 |
| Christabel, splendid true red | .25 | .20 |
| City of Lincoln, rich golden standards, bright, velvety | .25 | .20 |
| Clara Noyes, (maroon falls) | .20 | .15 |
| Copper Lustre. | .25 | .20 |
| Copper Pink, soft pink | .25 | .20 |
| Coronation | .15 | .10 |
| Crimson Tide, large deep red | .25 | .20 |
| Crystal Beauty, white | .15 | .10 |
| Dogrose, deep rose pink | .15 | .10 |
| Elsa Sass, clear sulphur yellow | .25 | .30 |
| Ethelwyn Dubar, orchid pink | .15 | .10 |
| Exclusive, light blue | .25 | .20 |
| Fair Elaine, pale primrose yellow to cream | | |
| white | .25 | .20 |
| Frieda Mohr, lilac pink | .20 | .15 |
| Golden Majesty, deep yellow | ,25 | .20 |

| | 10 rate each | 100 rate each |
|---|-----------------|------------------|
| IRIS, German | | |
| Grand Canyon, deep tones of plum and | | |
| copper | \$.25 | \$.20 |
| Great Lakes, clear blue, 4 in. stalks | .35 | .30 |
| Gudrun, a fine white | .20 | .15 |
| Indiana Pink | .50 | .40 |
| Indian Chief | .15 | .10 |
| Jean Cayeux, soft light coffee colored | .20 | .15 |
| Lavender Lady | .35 | .30 |
| Leonides | .15 | .10 |
| Lochinvar | .15 | .10 |
| Marilyn Richards | .15 | .10 |
| Ming Yellow, clear, rich, smooth yellow | .25 | .20 |
| Ola Kala, rich yellow, heavily ruffled | .60 | .50 |
| Prairie Sunset, blending of peach, apricot, | | |
| rose & copper | .35 | .30 |
| Red Douglas | .35 | .30 |
| Shah Jehan, buff standards, chestnut falls | .25 | .20 |
| Sharkskin, white | .60 | .50 |
| Sir Launcelot | .20 | .15 |
| Snowking | .20 | .15 |
| Spindrift, translucent seashell pink, tan- | | |
| gerine beard | 1.00 | .90 |
| Tiffany, yellow stitching of bronzy pinkish violet | .25 | .20 |
| Wabash, white standards, deep violet falls bordered white | | .15 |
| Winneshiek, dark blue | | .15 |
| IRIS Japanese | | |
| Betty F. Holmes, double pure white | .25 | .20 |
| Koko no iro, double dark blue violet | | .20 |
| Kuma Funjou, double claret, red tufted | | |
| center | | .20 |
| Lila Cox, double petunia violet | .25 | .20 |
| Lucia Marshall, large double purple, white | | |
| veins | .25 | .20 |
| Pyramid, fine double blue-purple, white | 9 | 00 |
| center | | .20 |
| Iso no nami, light blue double | ~ | .20 |
| Uchio, double pale lavender | | .20 |
| Purple and Gold | .25 | .20 |
| LIATRIS pycnostachya | .25 | .20 |
| scariosa September Glory | | .20 |
| scariosa alba | | .20 |
| LILY OF THE VALLEY clumps | 35 | .25 |
| LINUM perenne | .20 | .15 |

| | 10 rate each | 100 rate each |
|---|-----------------|------------------|
| LUPINS Russell's Hybrids | | \$.15 |
| Pink | | .20 |
| Blue | .25 | .20 |
| LYTHRUM Morden's Pink | .25 | .20 |
| MONARDA Croftway Pink | .25 | .20 |
| Red | .25 | .20 |
| Salmon | .25 | .20 |
| Sunset, brilliant deep wine | | .20 |
| NEPETA MUSSINI | .25 | .20 |
| OENOTIED A III | | 00 |
| OENOTHERA Illumination | .25 | .20 |
| PACHYSANDRA TERMINALIS, strong | | |
| 2½ in. pots | .20 | .15 |
| PENSTEMON Pink Beauty, shell pink | .25 | .20 |
| Firebird, large scarlet | .25 | .20 |
| Rose Elf, clear rose colored, compact and neat | .35 | .30 |
| | | |
| PHLOX decussata, Charles Curtis, bright red, true imp. Leo Schlageter | .25 | .20 |
| B. Compte, late plum purple | .20 | .15 |
| Daily Sketch | .20 | .15 |
| Fidelio, very tall with large pink eye | | .20 |
| Fuchsia, outstanding new variety | .25 | .20 |
| E. T. Farrington, good salmon | .20 | .15 |
| Katherine, fine light lavender | .20 | .15 |
| Harvest Fire, dark salmon | .25 | .18 |
| Lillian, cameo pink | .25 | .20 |
| Mary Louise, large pure white | .20 | .15 |
| Miss Copeyn, New outstanding pink | .25 | .20 |
| Leo Schlageter, good red | .20 | .15 |
| Mia Ruys, pure waxy white | .20 | .15 |
| Pinkette, delicate pink | .20 | .15 |
| Progress, true lavender blue | .25 | .18 |
| Purple Heart, Warm plum purple | .25 | .20 |
| Salmon Beauty, rich salmon pink, white | | |
| center | .20 | .15 |
| Salmon Glow | .25 | .18 |
| Spitfire, fiery orange-red | .20 - | .15 |
| Starlight, lavender with white eye | .20 | .15 |
| World Peace, beautiful new white | .20 | .15 |
| Flash, very early rich red | .20 | .15 |
| Graff Zeppelin, white with pink eye Jules Sandau, watermelon pink | .20 | .15 |
| Jules Sandau, watermeion pink | .20 | .15 |

| 42 E. D. RODINSON SALES AGEI | 101 | |
|--|----------------|------------------|
| 1 | 0 rate each | 100 rate each |
| PHLOX suffruticosa, Miss Lingard, white | \$.25 | \$.20 |
| camlaensis | .25 | .20 |
| divaricata | .25 | .20 |
| divaricata laphami | .25 | .20 |
| subulata white | .20 | .15 |
| Crimson Beauty | .20 | .15 |
| Emerald Cushion, pink, emerald green | · | |
| foliage (.15 per M) | .25 | .20 |
| Blue Emerald Cushion, blue form of above | .25 | .20 |
| , | | |
| PLATYCODON grandiflora | .20 | .15 |
| alba | .20 | .15 |
| 70Sea | .20 | .15 |
| 10360 | | |
| POLEMONIUM Blue pearl, clear blue, dwarf | .25 | .20 |
| FOLEMONTOM Blue pears, cicar blue, dwarf | .20 | .20 |
| POTENTILLA Snow White. One of the | | |
| earliest Rock Plants to bloom. Sells on | | |
| sight | .25 | .20 |
| | | |
| PRIMULA polyanthus, Sunny Border Hy- | | |
| brids | .20 | .15 |
| | | |
| PULMANARIA Mrs. Moon, flowers pink, | | |
| leaves spotted white | .25 | .20 |
| saccharata | .25 | .20 |
| | | |
| PYRETHRUM roseum, Robinson Hybrid | .20 | .15 |
| Scarlet Glow | .30 | .25 |
| Corallion, salmon | .30 | .25 |
| Crimson Giant | .30 | .25 |
| Eileen May Robinson | .30 | .25 |
| Enteri May Itoonison | | |
| DODDY Oriental | | |
| POPPY—Oriental | | |
| We have an exceptionally fine stock of strong to | transpla | nted field- |
| grown Poppies. Offer these modern varieties for Spring Sales. Pot them in September or | Octobe | r in small |
| Cloverset or 4 inch pots. | Octobe | |
| Australia, deep ox-blood red | .30 | .25 |
| Barr's White | .35 | .30 |
| | .20 | .18 |
| Beauty of Livermore, good red | .30 | .25 |
| Cavalier, brilliant red | .30 | .25 |
| Cerise Beauty | | |
| Crimson Pompon | .30 | .25 |
| Curtis Flame | .30 | .25 |
| Curtis Flesh Pink | .20 | .18 |
| Curtis Salmon | .30 | .25 |
| Enchantress, lilac rose | .20 | .15 |
| Glowing Embers, Chinese red | .30 | .25 |
| Henry Cayeux, improved burgundy and | 00 | 15 |
| old rose | .20 | .15 |

| | COIVIV. | 43 |
|--|-----------------|------------------|
| | 10 rate each | 100 rate each |
| POPPY—Oriental | | |
| Indian Chief, improved mahogany | \$.30 | \$.25 |
| Orientale, crimson scarlet | .20 | ψ.25 .15 |
| Mrs. Perry, orange apricot | .20 | .15 |
| Pink Radiance, lustrous true pink | .20 | .15 |
| Salmon Glow, double salmon | .20 | .15 |
| Watermelon, a striking beautiful color | .35 | .30 |
| SCABIOSA caucasica | .25 | .20 |
| SIDALCEA Rosy Gem | .25 | .20 |
| CEDIM A | | |
| SEDUM Acre | .20 | .15 |
| album | .20 | .15 |
| rupestris | .20 | .15 |
| spectabulis, 12-15 in. brilliant pink | .20 | .15 |
| spurium Dragon's Blood, dark crimson flowers | 00 | 15 |
| HOWEIS | .20 | .15 |
| SHASTA DAISY (See Chrysanthemum Max | imum) | |
| STACHYS lanata (Lamb's Ear), silvery foliage with pink flowers | .20 | .15 |
| STOKESIA Blue Danube, new dark blue | | |
| Stokes Aster | .25 | .20 |
| Blue Moon, large flowering light blue | .25 | .20 |
| TEUCHREUM chamaedrys | .25 | .20 |
| THALICTRUM Rochenbrunianum, | | |
| Lavender Mist | .25 | .20 |
| THERMOPSIS carolinianum | 00 | 4.5 |
| THERMOI SIS carolinianum | .20 | .15 |
| TRITOMA Coral Sea (Plant | | |
| Patent 563) | .50 | .35 |
| Maid of Orleans | .50 | .35 |
| pfitzeri rich vermillion red and yellow | .30 | .25 |
| Primrose Beauty, golden yellow | .30 | .25 |
| Springtime (Plant Patent 318) | .50 | .25 |
| White Fairy, creamy white | .30 | .25 |
| TRADESCANTIA Purple Dome | .25 | .20 |
| Pauline | .25 | .20 |
| Weguelin | .25 | .20 |
| | .40 | .40 |
| VERBASCUM Cotswold Gem, amber colored | | |
| with purple center | .25 | .20 |
| | | |

| | 10 rate each | 100 rate each |
|---|-----------------|------------------|
| VERBASCUM Pink Domino, soft pink with buff undertones | | \$.20 |
| VERONICA spicata Blue Spire | .25 | .20 |
| longifolia subsessilis | | .25 |
| incana | 00 | .15 |
| incana, rosea | | .15 |
| rupestris | | .15 |
| VINCA Bowles Variety | .25 | .20 |
| VIOLA Jersey Gem | 25 | .20 |
| Catherine Sharp, light blue | 0= | .20 |
| Purple Glory, rich purple | ~ ~ | .20 |
| Purple Giant | | .20 |
| Yellow Vixen, lemon yellow | ~ | .20 |
| VIOLET Royal Robe | 25 | .20 |
| White Violet | 00 | .15 |

CLOVERSET POTS

Pat. No. 2073695 (Standard Heavy)







| | No. 0 | No. 1 | No. 2 | No. 3 | (New) No. 4 |
|-------------------------|-------------|---------|---------|---------|----------------|
| Height | 51/8" 5" | 61/8" | 91/8" | 9" | 13" |
| Diam. Top | 5'' | 0 | • | 8" | 12'' |
| Bottom Diam | 41/8" | 51/8" | 61/8" | 71/8" | 11" |
| Corresponding Clay Pot. | 6" | 7// | 8′′ | 9" | |
| Approx. Weight Per 100. | 35 lbs. | 52 lbs. | 78 lbs. | 88 lbs. | 200 lbs. |
| Per 100 | \$3.00 | \$4.25 | \$4.75 | \$5.25 | \$22.50 |
| Per 1000 | \$27.50 | \$40.00 | \$45.00 | \$50.00 | \$200.00 |

No. 0 for perennials and for greenhouse use; No. 1 for perennials; No. 2 for roses and shrubs; No. 3 and 4 for large shrubs and transplanting.

Orders for 300 pots or more take 1,000 pot price. Orders for less than 300 pots take 100 pot price.

F.O.B. KANSAS CITY. Terms: 30 Days, 2% Discount 10 Days. Prices Subject to Change Without Notice. Cash with order, except established accounts. Write us about carload discounts and freight saving based on carload rates. Please send ¼ of amount on C.O.D. orders.

Unless otherwise instructed, we will determine method of shipment. If you designate express, we advise you to check the cost with your local Express Agent.

Cloverset Pots take 3rd class freight rate. All Cloverset Pots are packed 100 in carton, ready for use. We do not break cartons.

SEYMOUR SMITH Pruners, Grass & Hedge Shears



No. 123

No. 124 No. 125

PROFESSIONAL PRUNER

Finest one-piece drop-forged steel. Honed edges. Volute spring. No. 123, Seven-inch length, \$3.00 each. No. 124, Eight-inch length, \$3.50 each. No. 125, 9-inch length, \$4.00 each.

No. 419

"SNAP-CUT" PRUNER



Sturdy aluminum alloy body, anodized finish. New one-finger catch. Finest alloy steel blade, precision tempered and ground. Eight-inch length, \$2.50 each.



No. 118 No. 119

ORIGINAL "SNAP-CUT" PRUNER

Cuts ¾-inch branches like twigs. Non-pinching, pressed steel handles and body. Chrome finish. All parts replaceable. No. 119, Eight-inch length, \$2.50 each. No. 118, Ladies' "Snap-Cut" Pruner, 6-inch length, \$1.89 each.

No. 528 LONG HANDLED

PROFESSIONAL PRUNER



Dual cutting action; branches won't slip out. Tempered steel forgings. One-piece blade and handle, hardwood grips. Twenty-eight-inch length, \$5.25 each.



No. A54-9 LIGHTNING CLIPPER HEDGE SHEAR

New-shape blades of finest cutlery steel, flame hardened—long bevels, thin precision-ground edges. Streamlined, French-polished handles, pinned on the tang. Nine-inch blades. \$3.25 each.

All prices subject to change, and always 10 percent higher Denver and West.

Also Telephone Tree Pruners and Saws

FREIGHT RATES

NURSERY STOCK:

TREES, SHRUBS, or VINES, roots balled in earth as dug from nursery.

LCL, in boxes or crates, or ball completely burlapped and completely sewed or tied.

CL, Loose or in packages, minimum weight 20,000 pounds, subject to Rule 34.

From CONNECTICUT VALLEY POINTS

| | Differential | Rates (See Note) | | rd Rates |
|------------------------------------|--------------|------------------|-------------|---------------------|
| To | Carload | Less Carload | Carload | Less Carload |
| Albany, N. Y | | | \$.63 | \$.96 |
| Bangor, Me | | | 1.01 | 1.57 |
| Boston, Mass | | | .61 | .94 |
| Buffalo, N. Y | | | .96 | 1.49 |
| Burlington, Vt | | | .87 | 1.38 |
| Chicago, Ill | | \$2.20 | 1.46 | 2.26 |
| Cleveland, O | | *** | 1.10 | 1.73 |
| Cincinnati, O | 1.83 | 2.08 | 1.38 | 2.11 |
| Columbus, O | | 1.91 | 1.25 | 1.96 |
| Concord, N. H | | 4.0 | .72 | 1.11 4.13 |
| Denver, Colo | 2.63 | 4.07 | 2.67 | $\frac{4.13}{2.39}$ |
| Dundee, Ill | 1.49 | 2.33 | 1.53 | 1.65 |
| Fairview, Pa | | 0 0 0 | 1.06 | 1.34 |
| Fryeburg, Me | | | .87 1.38 | 2.11 |
| Huntington, W. Va | 4.00 | 0.05 | 1.93 | 3.00 |
| Kansas City, Mo | | 2.95 | 1.39 | 2.16 |
| Indianapolis, Ind | | 2.10 | 1.53 | 2.37 |
| Lexington, Ky | | 2.34 | 1.54 | 2.40 |
| Madison, Wis | 1.51 | | .67 | 1.03 |
| Manchester, N. H | 1.49 | 2.20 | 1.46 | 2.26 |
| Milwaukee, Wis | 1.42 | | 1.29 | 1.71 |
| Painesville, O | | | .76 | 1.18 |
| Philadelphia, Pa | | • • • | 1.10 | 1.72 |
| Pittsburgh, Pa | | 1.86 | 1.23 | 1.91 |
| Pontiae, Mich | | 1.00 | .77 | 1.19 |
| Portland, Me | | | .67 | .94 |
| Poughkeepsie, N. Y | | • • • | .89 | 1.39 |
| Rochester, N. Y | 1.77 | 2.75 | 1.80 | 2.79 |
| St. Paul, Minn | 1 50 | 2.48 | 1.63 | 2.52 |
| St. Louis, Mo | 1 00 | 2.98 | 1.96 | 3.04 |
| Shenandoah, Ia Terre Haute, Ind | 4 4 69 | 2.20 | 1.46 | 2.26 |
| Toledo, O | 4.40 | 1.85 | 1.22 | 1.90 |
| White Plains, N. Y | | | .57 | .91 |
| TO THE TANKEN, A. T | | | or om n | Ct. 11 |

Note: Differential Rates apply via NYNH&H—CV—GT Rys. Standard Rates apply via other gateways.

Rates do not include federal transportation tax-3 percent.

*Note: These rates are given to us by the Transportation Company as of August 9, 1949, but are, of course, subject to any revision made by any of the carriers.

TRUCKLOAD RATES (20,000 lbs. minimum load)

Nursery Stock balled and burlapped, approximate truck rates from Connecticut Valley points, to various points as follows, rates given August 20, 1949, but not guaranteed.

Rates given are in cents per 100 pounds. Rates do not include 3 percent federal tax.

| To Albany, N. Y. Boston, Mass. Buffalo, N. Y. Chicago, Ill. Cleveland, O. Detroit, Mich. | .37 .82 1.35 .97 | To Framingham, Mass. Huntington, N. Y. Providence, R. I Rochester, N. Y. Worcester, Mass. | **Rate |
|--|---------------------------|---|--------|
|--|---------------------------|---|--------|

When referring to above rates please remember the above listed points are for direct deliveries. Stock shipped to other points near those mentioned might require transfer and if so these rates would not apply.

MEMO

MEMO

INDEX

| Broad Leafed Evergreen Shrubs and Vines | 15-16 |
|---|--------|
| Coniferous Evergreen Trees | 1-7 |
| Forcing Daphne | 15 |
| Deciduous Ornamental Trees | 18-20 |
| Deciduous Ornamental Shrubs. | 21-30 |
| Hardy Vines | 21-30 |
| Hardy Water Lilies | |
| Fruit Trees and Small Fruits | 34 |
| Fruit Trees and Small Fruits | 32-34 |
| | 35-44 |
| Lining Out Stock | 8-14 |
| Collected Stock | 17 |
| Hinsdale Leaf MoldSee box | below |
| Pruning Shears | 45 |
| Hormodin Powder | 13 |
| Hybrid Blueberries | and 34 |
| Roses | 30 |
| Cloverset Pots | 45 |

NOTICE

All agreements and contracts are subject to ability of shipper to obtain the necessary manpower to dig and pack material and to priorities on material and transportation which may limit, restrict or make impossible performance thereunder.

TO OUR CUSTOMERS

Our office will be open at all hours of the day and night during the busy shipping season to answer phone calls and receive telegrams. This, together with our very fine mail service in Wallingford, enables us to give you the quickest possible service in getting rush orders placed to our various shipping points.

Hinsdale Leaf Mold

This fine Leaf Mold is well recommended for Greenhouse, Lawn and Garden use. It is ideal as a soil conditioner, containing 93% organic matter. Acidity 4.7 to 5.7. Specially good for Azaleas, Rhododendrons, Laurel, Blueberries and Evergreens.

| Less than 10 bag lotsat | \$1.50 | per | bag |
|-------------------------|--------|-----|-----|
| 10 to 20 bag lotsat | 1.25 | per | bag |
| 20 to 100 bag lotsat | 1.10 | per | bag |
| 100 bags and overat | 1.00 | per | bag |

F.O.B. Pittsfield, Mass. Put up in strong bags

E. D. ROBINSON SALES AGENCY

38 SOUTH ELM STREET WALLINGFORD, CONN.
Phone 1428

"A friendly, efficient service"

